

Cumulative Subject Index for Volumes 158–164

A

- Abdominal adhesion(s), postoperative, prevention of (rat), **159:772**
- Abdominal aortic aneurysm(s)
age differences in, **159:484**
animal models, **162:239**
gender differences in, **159:484**
p-ERK signaling and (rat), **160:18**
- Abdominal closure, modified Bogotá bag approach for, **162:274**
- Abdominal compartment syndrome
diagnosis, rectus sheath pressure in (pig), **161:235**, **161:295**
open abdominal management in, modified Bogotá bag approach for, **162:274**
- Abdominal examination, low value in blunt trauma patient, **159:456**
- Abdominal solid organ injury, management of, surgical resident training in, **163:179**
- Abdominal wall
allotransplantation, for end-stage abdominal wall failure (pig), **162:314**
endometrioma, **164:e77**
- Acellular human dermis, bacterial contamination, effects on shear strength and vascular ingrowth (rat), **162:148**
- Actin-free Gc-globulin, serum levels, after minimal access *versus* conventional anterior lumbar surgery, **164:105**
- Acute care surgery, patient outcomes, evidence-based medicine protocols and, **160:202**
- Acute lung injury
high-frequency oscillatory ventilation in, titration of mean airway pressure and FiO₂ during (pig), **164:e147**
intestinal ischemia-reperfusion-induced
intestinal ischemic preconditioning and (rat), **160:294**
protective effect of heparin-binding epidermal growth factor (HB-EGF) (mouse), **163:86**
phosgene-induced, pulmonary edema formation in, attenuation by IV hyperoxygenated solution (rabbit), **164:131**
- Acute respiratory distress syndrome
burn-related, ovine model, ventilator-controlled smoke delivery system for, **164:e155**
high-frequency oscillatory ventilation for
airway pressure loss in, and oxygenation (pig), **162:250**
titration of mean airway pressure and FiO₂ during (pig), **164:e147**
- Adenovirus, oncolytic, infection of breast cancer tissue slices, **163:270**
- Adept, adhesion prophylaxis, analysis (rat), **161:246**
- Adhesion(s)
peritoneal, postoperative prevention, Contractubex and (rat), **164:193**
postoperative
intra-abdominal, prevention of (rat), **159:772**
tendon, prevention of (chicken), **159:765**
prophylaxis, agents for, direct comparison of (rat), **161:246**
- Adhesive small bowel obstruction
gastrografin assessment of, **160:60**, **162:170**
management of, **160:60**
statins for, **162:17**
- Adiponectin, and production of inflammatory mediators and hepatic injury in sepsis (mouse), **161:301**
- Adrenocortical progenitor cell-like cells, Nile red staining of, **161:34**
- Adrenomedullin/adrenomedullin binding protein, human, for renal ischemia-reperfusion injury (rat), **163:110**
- Advanced Trauma Life Support, initial assessment station, live patient model and mechanical simulators in, comparison of, **162:7**
- Age
and papillary thyroid cancer presentation, **160:179**
and pedestrian injury patterns, **163:323**
and perforation in adults with acute appendicitis, **163:221**
and renal transplantation, **161:173**
- Air evacuation
and skeletal muscle edema (rat), **160:253**
and traumatic brain injury, **164:286**
- Akt pathway, myocardial, testosterone-mediated downregulation during ischemia/reperfusion, role of BAD, Bcl-2 and FOXO3a (rat), **164:e1**
- Alkaline phosphatase, intestinal, protective role in necrotizing enterocolitis (rat), **163:79**
- American Society of Anesthesiologists (ASA), grade, predictive value for emergency surgery, **159:729**
- Ameroid constriction
of coronary arteries (pig), **161:36**
correlation of ischemic area and coronary flow with ameroid size in (pig), **164:38**
- Analgesia
extraperitoneal, for totally extraperitoneal laparoscopic inguinal hernioplasty, **162:279**
preemptive, for radical axillary lymph node dissection, **162:88**
- Anatomy
Gray's Anatomy: The Anatomical Basis of Clinical Practice, 40th Edition (book review), **158:28**
instruction in, integration of surgical skills training into, **158:36**
pelvic, virtual simulator, **161:23**
- Anesthesia
effects on critically ischemic flap survival (mouse), **162:308**
and skeletal muscle ischemia-reperfusion injury, **159:e1**
- Angiogenesis
CC-5079 and, **164:116**
in hepatocellular carcinoma, efficacy of anti-angiogenic therapy for, **158:69**
5-HT₄ receptor agonist and, **159:696**
inhibition, targets for, **159:517**
ischemia-induced, in myocutaneous flaps (mouse), **164:e201**

¹ Numbers in boldface indicate volume number. The numbers in regular type indicate the first page of the article cited.

- localized, induction by angiogenic gene-modified fibroblasts (rat), **160:340**
 semiautomatic quantification of, **162:132**
 stimulation by quiescent platelets (mouse), **160:169**
 VEGF pathways in, **159:517**
- Angiotensin II, and gastric ischemia-reperfusion injury (rat), **161:126**
- Anoikis, and cancer therapy, **164:301**
- Anterior cruciate ligament
 reconstruction, Cross-pin and Endobutton-CL femoral fixators for, biomechanical comparison (pig), **161:282**
 traumatic tear, and meniscal degradation (rabbit), **164:234**
- Antibiotics
 mesh coating releasing, to reduce prosthetic sepsis, *in vivo* study (mouse), **163:337**
 pretreatment of vascular prostheses, and prevention of perioperative vascular graft infection, **164:e185**
- Antioxidants
 endogenous, and redox regulation in liver, **162:95**
 in pharmaconutrients, **161:288**
- Antitumor activity, of CC-5079, **164:116**
- Antrectomy, laparoscopic, in treatment of type I gastric carcinoids, **162:22**
- Aorta. *See also* Ascending aortic injury
 thoracic, matrix metalloproteinase promoter activation in, wall tension and (mouse), **160:333**
- Aortic dissection, acute, plasma MMP-8 expression in, **163:e99**
- Aortic ring assay, angiogenesis in, semiautomatic quantification of (mouse), **162:132**
- Aortic sinus, blunt injuries, unusual presentations, diagnosis and management of, **163:176**
- Aortic stenosis, degenerative calcific, plasma biomarkers in, **163:12**
- Aortic valve
 calcification, plasma biomarkers in, **163:12**
 replacement, risk stratification, by surgeons *versus* risk model, **163:1**
- Apoptosis
 Bcl-2-mediated, as therapeutic target in pancreatic cancer, **163:276**
 in burn wounds, regulation by burn severity and dermal site (rat), **162:258**
 and cancer therapy, **164:301**
 cardiomyocytic, after cardioplegia, limitation by bradykinin, **163:e1**
 caspase-3 mediated, in vascular injury and remodeling response (rabbit), **161:146**
 in cholangiocarcinoma, triplotide and TRAIL combination and, **163:244**
 compartmental, in severe peritonitis, **164:321**
 hepatocyte, redox regulation and, **162:95**
 induction, in pterostilbene inhibition of lung cancer, **161:18, 161:196**
 intestinal, in extrahepatic cholestasis, effects of ethyl pyruvate (rat), **160:228**
 intestinal epithelial cell, after TPN administration (mouse), **160:244**
 in pancreatic cancer cell lines, ZM336372 and, **161:28**
 renal tubular, post-ischemic, leukocyte depletion and (pig), **164:e315**
- Apoptosis repressor with caspase recruitment domain (ARC), inhibition of cardiomyocyte apoptosis (sheep), **161:38**
- Appendectomy
 interval, after conservative treatment of perforated acute appendicitis, **164:91**
 laparoscopic *versus* open, in complicated appendicitis, **163:225**
 outcomes with, residents' duty hours and, **163:192**
 pediatric, outcomes
 with laparoscopic *versus* open procedure, **161:13**
 trends in, **161:233**
- Appendicitis
 acute
 conservative management, and interval appendectomy, **164:91**
 in Latino children, **163:290**
 perforated, conservative management, and interval appendectomy, **164:91**
 serum markers in, **164:69**
 complicated, laparoscopic *versus* open appendectomy in, **163:225**
 perforated
 in adults, linkage to insurance status, **163:221**
 in children, **163:290**
- Arachidonic acid, pretransplant level, and renal allograft survival, **164:182**
- Arginine
 and hypertonic saline in restoration of T-cell function, **163:e17**
 supplements, molecular targets of, **161:288**
- Arginine-glycine-aspartic acid (RGD) peptides, and MMP-2 inhibition of calcium-dependent venous contraction (rat), **159:755**
- Arginine vasopressin (AVP) receptor(s), V_{1a}, in AVP-mediated regulation of vasoreactivity after hemorrhagic shock (rat), **161:312**
- Arterial remodeling, cellular mechanisms in (rabbit), **161:146**
- ASBO. *See* Adhesive small bowel obstruction
- Ascending aortic injury, in blunt trauma, unusual presentations, diagnosis and management of, **163:176**
- Aspergilloma, pulmonary, preoperative symptoms in, prognostic significance of, **163:e35**
- Atelectasis, transpulmonary pressure with (pig), **159:e17**
- Atherosclerosis
 animal models, **162:239**
 and lower extremity vascular disease, functional impairment in, reperfusion and, **164:6**
 prevention, by combination therapy with celecoxib and atorvastatin (mouse), **163:e113**
- Atlanto-occipital dissociation, traumatic, identification of, **160:3**
- Atorvastatin, and celecoxib, combined, prevention of atherosclerosis (mouse), **163:e113**
- Autophagy, and cancer therapy, **164:301**
- Axillary lymph node dissection, radical, preemptive analgesia for, **162:88**

B

- Bacterial contamination, of acellular human dermis, effects on shear strength and vascular ingrowth (rat), **162:148**
- Bacterial translocation
 hypothermia and, in two-hit model of hemorrhagic shock (rat), **158:121**
 in large volume hepatic radiofrequency ablation (rat), **161:250**
- Baneocin, pretreatment of vascular prostheses, and prevention of perioperative vascular graft infection, **164:e185**
- Bariatric surgery
 hypoxemia after, **159:622, 162:42**
 patients, vitamin D status of, **164:198**
- Basal cell carcinoma (BCC)
 biomarkers, **159:545**
 demographic prognostic markers, **159:545**
 histologic prognostic markers, **159:545**
 incidence of, predictors for, **159:545**
 recurrence, predictors for, **159:545**
 risk factors for, **159:545**
 second primary, predictors for, **159:545**

- Basion-dental interval, in trauma victim, prognostic significance of, **160:3**
- Bath School bombing (1927), pediatric patterns of injury in, **163:309**
- Bcl-2, targeted therapy against, in pancreatic cancer, **163:276**
- Betaisodona, toxic side effects, evaluation *in vitro*, **164:344**
- Biliary atresia, experimental, differential expression of hepatic fibrosis mediators in (mouse), **159:611**
- Biliary carcinogenesis, IL-6 expression in (hamster), **162:54**
- Biliary fibrosis, secondary, inflammatory mechanisms in (rat), **162:203**
- Biliary obstruction, reversible surgical model (mouse), **164:221**
- Biofilm
Pseudomonas aeruginosa, formation on medical devices, inhibition by serum, **159:735**
Staphylococcus aureus, in silastic catheters, factors affecting, **161:202**
- Biologic mesh. *See also* Intraabdominal peritoneal onlay mesh (IPOM)
 human, and *in vitro* activation of human peripheral blood mononuclear cells, **158:10**
- Biomarkers
 human melanoma stem cell, immuno-expression, by stage of disease, **163:e11**
 metabonomics and, **160:122**
 plasma levels, in calcific aortic stenosis, **163:12**
- Biomaterial
 for tracheal defect repair (rabbit), **160:114**
 triphala incorporated collagen sponge as, **158:162**
- Bladder, interstitial cells of Cajal in, mechanical sensitivity of (guinea pig), **164:e213**
- Bladder cancer
 CD147 expression in, clinical significance of, **160:260**
 low-risk nonmuscle-invasive, prognostic role of LOH on chromosome 18 in, **161:89**
- BleedArrest, for hemorrhage control (pig), **164:e125**
- Bleestop A and B (collagen-based hemostatic adhesive), development and analysis of (rat), **164:e221**
- Blood flow, in foreign-body response to subcutaneous devices (dog), **158:147**
- Blood pressure, systolic, in physiologic injury severity scoring for trauma patients, **159:627**
- Blood transfusion. *See also* Erythrocyte transfusion
 in cardiac surgery, postoperative adverse outcomes with, transfusion threshold for, **158:20**
 immunomodulation related to, in pancreatic cancer, gender differences (mice), **164:23**
- Bogotá bag approach, modified, for abdominal management in trauma patients, **162:274**
- Bone formation, *in vitro*, PTHrP 1-141 and 1-86 and, **162:e9**
- Bone marrow transplantation (BMT), and induction of mixed chimerism and donor-specific tolerance (rat), **160:315**
- Book Review
Atlas of Cardiac Surgical Techniques: A Volume in the Surgical Techniques Atlas Series, **161:226**
Atlas of Minimally Invasive Surgery, **159:651**
Atlas of Vascular Surgery, **164:203**
Clinical Management of Thyroid Disease, **161:33**
Gray's Anatomy: The Anatomical Basis of Clinical Practice, 40th Edition, **158:28**
The Johns Hopkins Surgery ABSITE Review Manual, **159:482**
PET-CT in Radiotherapy Treatment Planning, **160:213**
Surgical Pitfalls: Prevention and Management, **160:52**
- Bradykinin, and cardiomyocyte apoptosis after cardioplegia, **163:e1**
- Brain, extracellular glucose, after enteral nutrition in subarachnoid hemorrhage patients, **162:221**
- Brain injury, traumatic
 aeromedical evacuation and, **164:286**
 cerebral edema after
 impedance analysis (rat), **159:557**
 regional differences in (rat), **159:557**
 heart rate after, and mortality, **163:142**
 intensity, and oxidative stress in brain (rat), **164:316**
 mortality after, race and, **163:303**
 protective effect of elevated serum lactate levels, **159:468**
 protective effect of motorcycle helmets, **158:1**
 τ protein serum levels after, prognostic significance of, **160:302**
- Brain natriuretic peptide
 plasma levels, in calcific aortic stenosis, **163:12**
 and renal ischemia-reperfusion injury (rat), **164:e13**
- Braunol, toxic side effects, evaluation *in vitro*, **164:344**
- Breast(s)
 arterial calcifications, and diabetes, **159:528**
 DIEP flap reconstruction, CTA-guided *VirSSPA 3-D* software in, **162:140**
 lymphatic drainage, **161:70**
- Breast cancer
 celecoxib-resistant cell lines, COX-2 overexpression in, **163:235**
 infectivity by oncolytic adenoviruses, tissue slice model system for, **163:270**
 inflammatory, prophylactic mastectomy in, role of sentinel lymph node biopsy, **164:188**
 lumpectomy specimens, real-time margin assessment, **160:277**
 periostin expression in, **160:102**
 previous, MRI surveillance for women with, **163:58**
 sentinel lymph node lymphoscintigraphy in, **161:70**
 stage IV, effect of surgical excision, **161:83**
 staging, lymph node status in, **164:67**
- T3
 lymph node status in, prognostic significance of, **161:183**
 predictors of axillary lymph node involvement in, **161:183**
- triple-negative
 CXCR4 level in, prognostic significance of, **159:689**
 neoadjuvant *versus* adjuvant chemotherapy for, **163:52**
- Bupivacaine, extraperitoneal analgesia, for totally extraperitoneal laparoscopic inguinal hernioplasty, **162:279**
- Burn(s). *See also* Thermal injury
 mortality risk after, IL-10 polymorphism and, **164:e141**
 ovine smoke/burn ARDS model, ventilator-controlled smoke delivery system for, **164:e155**
 scar assessment, review of different scar scales for, **164:e115**
 wound, inflammatory response in (mouse), **158:112**
- Bypass grafts, COX-1 gene transfer for, effects on graft lumen and blood flow (rabbit), **161:162**

C

- Caffeic acid phenethyl ester (CAPE), for cholestatic liver injury (rat), **159:674**
- Candesartan, effects in gastric ischemia-reperfusion injury (rat), **161:126**
- Carcinoembryonic antigen, postoperative serum levels in stage I non-small cell lung cancer, prognostic significance of, **163:e45**
- Carcinoid tumor(s)
 gastric, type I, laparoscopic antrectomy for, **162:22**
 growth, inhibition by MG-132, **158:15**
 neuroendocrine phenotype, alteration by MG-132, **158:15**
 pediatric, **161:209**
 typical, bronchopulmonary, lack of NKX2.2 expression in, **163:47**
- Cardiomyocytes, apoptosis, after cardioplegia, bradykinin and, **163:e1**

Cardioplegia

- cardiomyocytic apoptosis after, limitation by bradykinin, **163:e1**
 long-term, reperfusion after, leupeptin and cardiac NOS3 during (rat), **164:e27**
 and oxidative stress (sheep), **160:308**
- Cardioprotection, in myocardial ischemia-reperfusion, by noninvasive limb ischemic preconditioning (rat), **164:162**; **159:660**
- Cardiopulmonary bypass circuits, thromboresistant, **163:e51**
- Carnitine, protective effect in intestinal ischemia-reperfusion (rat), **159:603**
- Carotid artery ligation, mouse model, **162:239**
- Carotid endarterectomy, outcomes with, surgeon specialty and, **159:595**
- Cartilage, craniofacial, restoration, hybrid construct for, **163:331**
- Caspase-3, and post-ischemic renal function (pig), **164:e315**
- β -Catenin, mesenchymal, during hepatogenesis (mouse), **164:276**
- Catheter-related infection(s), *Staphylococcus aureus*, factors affecting, **161:202**
- Caveolin-1, and MMP invasion and expression in pancreatic cancer, **159:443**
- CC-5079, MKP1, antiangiogenic, and antitumor activity of, **164:116**
- CD103, depletion, and induction of CD4⁺ CD25⁺ regulatory T-cells (mouse), **163:162**
- CD147/EMMPRIN, expression in genitourinary carcinoma, **160:260**
- Celecoxib
 and atorvastatin, combined, prevention of atherosclerosis (mouse), **163:e113**
 resistance, in breast cancer cell lines, COX-2 overexpression and, **163:235**
- Celox, for hemorrhage control (pig), **164:e125**
- Cement leakage, in vertebroplasty, prevention by staged-injection procedure, *in vitro* study, **164:e253**
- Central nervous system (CNS), tumors, pediatric, and second malignancy, **160:184**
- Central venous catheter, bedside ultrasound of, in surgical ICU, **163:155**
- Cerebral edema, after traumatic brain injury
 impedance analysis (rat), **159:557**
 regional differences in (rat), **159:557**
- Chemokine receptor
 CXCR3, and acute rejection in allotransplantation model (rat), **164:e299**
 CXCR4, in triple-negative breast cancer, prognostic significance of, **159:689**
- Chemokines
 CXC, in cholestatic liver injury (mouse), **159:666**
 ELR-CXC, antagonist, prevention of intestinal ischemia-reperfusion injury (rat), **162:264**
 and wound inflammatory response (mouse), **158:112**
- Chemoprevention, of hepatocellular carcinoma, efficacy of anti-angiogenic therapy for, **158:69**
- Chemotherapy, for triple-negative breast cancer, neoadjuvant *versus* adjuvant, **163:52**
- Children
 appendectomy in, outcomes
 with laparoscopic *versus* open procedure, **161:13**
 trends in, **161:233**
 colorectal solid tumors in, **161:209**
 esophageal perforation in, **164:13**
 extremity soft-tissue sarcomas in, incidence and outcomes of, **163:282**
 intestinal tumors, analysis of treatment-outcome relationships, limitations of SEER database in, **161:237**
 laparoscopic cholecystectomy in, obesity and, **163:299**
 non-Wilms renal tumors in, subtypes, survival, and prognostic indicators in, **163:257**
 patterns of injury in, in disasters/terrorist attacks, **163:309**
 with pyloric stenosis, management and outcomes for, effect of hospital type, **158:6**
 solid tumors in, and second malignancy, **160:184**
- Cholangiocarcinoma, triplotide and TRAIL combination for, **163:244**
- Cholangitis, proliferative, effects of genistein on (rat), **162:59**
- Cholecystectomy, laparoscopic
 in obese children, **163:299**
 outcomes with, residents' duty hours and, **163:192**
- Cholestasis
 extrahepatic, intestinal benefits of ethyl pyruvate in (rat), **160:228**
 liver injury in
 caffeic acid phenethyl ester (CAPE) treatment for (rat), **159:674**
 Rho-kinase inhibitor for (mouse), **159:666**
 obstructive, hepatic ischemia-reperfusion injury in, endothelin-1 and (mouse), **162:46**
 reversible surgical model (mouse), **164:221**
 Rho-kinase signaling in (mouse), **159:666**
 splanchnic redistribution of cytokines in (rat), **162:203**
- CHRNA5* gene polymorphism, in lung cancer, **162:75**
- Chromosome 18, loss of heterozygosity on, prognostic significance in bladder cancer, **161:89**
- Cimetidine, protective effect in warm hepatic ischemia-reperfusion (rat), **159:680**
- c-Jun expression, downregulation by epigallocatechin-3-gallate, and attenuation of hepatic ischemia-reperfusion-induced apoptosis (rat), **159:720**
- Cks1, expression in histologic subtypes of non-small cell lung cancer, **164:256**
- Claudin-3, in hemorrhagic shock (rat), **159:474**
- Clear cell sarcoma of kidney, pediatric, prognostic indicators in, **163:257**
- Climazolam, effects on critically ischemic flap survival (mouse), **162:308**
- Colitis, IL-10 null mouse model, ileocecal resection in, and small bowel inflammation and adaptive changes, **162:160**
- Collagen, metabolism, erythropoietin and, and colonic anastomotic healing (rat), **163:e67**
- Colon, propulsive motility in, daikenchuto and (guinea pig), **164:84**
- Colon cancer. *See also* Colorectal cancer
 lymph node resection in, optimal number for, factors affecting, **163:264**
 pediatric, **161:209**
- Colonic anastomosis, healing
 erythropoietin and (rat), **163:e67**
 mast cell degranulation and (rat), **164:e73**
- Colorectal cancer
 aggressive histotypes, **163:250**
 hepatic metastases, postoperative complications and patient survival with, **164:e91**
 high grade, prognosis for, **163:250**
 signet ring, prognosis for, **163:250**
 undifferentiated, prognosis for, **163:250**
- Colorectal cancer patient(s)
 obese, minimally invasive surgery for, **163:29**
 quantitative obesity measurements in, validation, **164:18**
- Colorectal surgery, humoral response to, with open *versus* laparoscopic surgery, meta-analysis, **164:28**
- Combat care
 HEET garment and prevention of hypothermia (pig), **164:126**
 wound management in, matrix metalloproteinase expression and, **159:633**
- Committee on Publication Ethics (COPE), guidelines, Surgery Journal Editors Group consensus statement on adoption of, **162:45**

Communication

- for breaking bad news, training in, using mixed reality simulation, **158:35; 159:462**
- skills training, for surgeons, **160:63**
- Comparative-effectiveness research, simulation models for, **162:163**
- Complement inhibition, renoprotective effect in ischemia-reperfusion (rat), **159:747**
- Composite tissue allotransplantation
 - mixed chimerism and donor-specific tolerance for, enhancement by mesenchymal stem cells (rat), **160:315**
 - outcomes, allograft mass and (rat), **161:321**
- Computed tomography (CT), and liver volume calculation (pig), **160:236**
- Connexin, Cx43, phosphorylation, in heart, ischemic preconditioning and (rat), **162:e1**
- Continuous Improvement in Cardiac Surgery Program (CICSP), risk model, risk stratification for aortic valve replacement, **163:1**
- Contractubex, and prevention of postoperative peritoneal adhesions (rat), **164:193**
- Coronary artery(ies), ameroid constrictors (pig), **161:36**
- Coronary artery bypass grafting
 - outcomes with, residents' duty hours and, **163:201**
 - survival after, obesity and, **163:7**
- Coronary heart disease, metabonomics and, **160:122**
- CpG oligonucleotides, and immune response activation after burn injury (mouse), **161:111**
- Cranio-cervical dissociation, traumatic, identification of, **160:3**
- Creatine kinase, serum levels, after minimal access *versus* conventional anterior lumbar surgery, **164:105**
- Critical care
 - evidence-based practices in, **163:327**
 - surgical, resident training in, **163:132**
- Critical limb ischemia, outcomes with, vasodilator response and, **161:156**
- Cross-pin femoral fixator, for anterior cruciate ligament reconstruction, biomechanical tests (pig), **161:282**
- Curcumin, anti-inflammatory effects in liver regeneration complicated by infection (rat), **159:497**
- Custodial-N solution, organ protective potential, in machine perfusion of marginal liver grafts (rat), **160:155**
- Cutaneous tissue transplantation, ischemia-reperfusion injury in, protective effect of hydrogen sulfide, **159:451**
- CVC sono, in surgical ICU, **163:155**
- Cyanoacrylate surgical glue, for mesh fixation in hernia repair, **163:e53**
- Cyclic adenosine monophosphate (cAMP), PKA-independent inhibition of NF κ B translocation in hepatocytes, **159:565**
- Cyclooxygenase (COX)
 - COX-1, gene transfer for bypass grafts, and outcomes (rabbit), **161:162**
 - COX-2
 - expression in gastric ischemia-reperfusion, angiotensin II and (rat), **161:126**
 - overexpression in celecoxib-resistant breast cancer cell lines, **163:235**
- Cystectomy, partial, remodeling response after biologic scaffold repair in (dog), **161:217**
- Cytochrome P450, inhibition, protective effect in warm hepatic ischemia-reperfusion (rat), **159:680**
- Cytokines
 - anti-inflammatory effect of hydroxyethyl starch and (rat), **160:133**
 - and cardiac dysfunction in endotoxemic shock (rat), **158:94**
 - and CD4+ helper T-cells, in immune response to heart surgery, erythrocyte transfusion and, **164:43**
 - and early myocardial dysfunction in endotoxemia (rat), **158:94**

- and hepatic ischemia-reperfusion, mild hypothermia in, benefits of (rat), **158:43**
- intestinal expression, upregulation after TPN administration (mouse), **160:244**
- in liver regeneration complicated by infection, curcumin and (rat), **159:497**
- and monocyte activation *in vitro*, by human biologic meshes, **158:10**
- and pulmonary injury after hepatic ischemia-reperfusion (mouse), **158:87**
- and role of Kupffer cells and vasoregulatory genes in trauma and sepsis (rat), **158:104**
- splanchnic redistribution of, in cholestasis (rat), **162:203**
- synthesis after burn injury, CpG oligonucleotides and (mouse), **161:111**
- synthesis in trauma patient, p38 MAPK signaling and, **161:119**
- and wound inflammatory response (mouse), **158:112**

D

- Daikenchuto (DKT), effects on propulsive motility in colon (guinea pig), **164:84**
- Daptomycin, pretreatment of vascular prostheses, and prevention of perioperative vascular graft infection, **164:e185**
- Decellularization, of fasciocutaneous flap, for bioengineered matrix with vascular pedicle (rat), **164:1**
- Dehydroepiandrosterone (DHEA), effectiveness during sepsis, timing of administration and, **163:e73**
- Dermal replacement, acellular bioengineered matrix with vascular pedicle (rat), **164:1**
- Detrusor overactivity, pathogenesis of, mechanical sensitivity of interstitial cells of Cajal and (guinea pig), **164:e213**
- Dexmedetomidine
 - alone or with lidocaine, as premedication for intravenous regional anesthesia, **164:242**
 - pretreatment, protective effect against etomidate-induced myoclonus, **159:e11**
- DHMEQ, donor pretreatment with, for islet transplantation (mouse), **163:e23**
- Diabetes mellitus
 - reversal, after islet transplantation into striated musculature (rat), **160:145**
 - screening tool for, mammography as, **159:528**
 - type 2, outcomes with, effects of subtotal gastrectomy and Roux-en-Y gastrojejunostomy on, **164:e67**
 - wound healing in
 - pravastatin and (rat), **161:336**
 - stimulation by quiescent platelets (mouse), **160:169**
- Disaster preparedness, and pediatric patterns of injury, **163:309**
- Distraction enterogenesis, safe limits for (pig, human), **163:169**
- Dopamine, pretreatment, for hypothermic preservation of cultured vascular endothelial cells, and activation of calpain expression and ubiquitination, **160:325**
- Duodenogastric reflux, after laparoscopy-assisted distal gastrectomy, evaluation, scoring system for, **164:e229**
- DuraSeal, as ligature in nerve anastomosis (rat), **161:101**

E

- Early warning scores (EWS), preoperative, predictive value for emergency surgery, **159:729**
- Education and training
 - in acute care surgery
 - fellowship program for, **160:202**
 - residents' duty hours and, **163:192**

- Advanced Trauma Life Support course, live patient model and mechanical simulators in, comparison of, **162:7**
 on breaking bad news, using mixed reality simulation, **158:35; 159:462**
 in communication skills, **158:35; 159:462; 160:63**
 and cost of resident education, **163:18**
 in critical care, among surgical residents, survey of, **163:132**
 in developing countries, **160:14**
 fellowships and, **159:487**
 and Fundamentals of Laparoscopic Surgery skill retention (learning) in first year surgery residents, **163:24**
 Fundamentals of Research and Career Development Course, efficacy of, overseas, **163:197**
 in general surgery, **159:487, 160:25**
 endoscopy education in, **163:210**
The Johns Hopkins Surgery ABSITE Review Manual (book review), **159:482**
 online portfolio system in, **161:40**
 in pediatric urology, laparoscopic skills in, performance-based assessment, **161:240**
 and resident case coverage with 80-h work week, **162:33**
 resident performance on virtual reality simulator in, and OR performance, **160:67**
 residents' duty hours in
 and acute care surgery outcomes, **163:192**
 and cardiac surgical outcomes, **160:222**
 and coronary artery bypass grafting outcomes, **163:201**
 and operative experience, **164:216**
 specialization and, **159:487**
 and student quality of life during surgical clerkship, **160:64**
 in surgical management of solid abdominal organ injury, **163:179**
Surgical Pitfalls: Prevention and Management (book review), **160:52**
 in surgical skills, integration into anatomy laboratory, **158:36**
 and technical skills rotation for general surgery residents, **161:179**
 in thoracic surgery, multipurpose simulator for, **163:186**
 virtual pelvic anatomy simulator for, **161:23**
- Elderly
 hip fractures in, wound healing after, predictive value of nutritional measurements, **159:503**
 laparoscopy-assisted gastrectomy in, **158:30, 161:259**
 pedestrian injury patterns in, **163:323**
 renal transplantation outcomes in, **161:173**
 trauma patients, and super-elderly trauma patients, outcomes and health care resource utilization in, **163:127**
- Emergency laparotomy, Simple Prognostic Index (SPI) as prognostic scoring tool for, **163:e59**
- Emergency surgery, preoperative early warning scores for, predictive value, **159:729**
- Endobutton-CL femoral fixator, for anterior cruciate ligament reconstruction, biomechanical tests (pig), **161:282**
- Endometrioma, abdominal wall, **164:e77**
- Endoscopy education, in general surgery residencies, **163:210**
- Endothelial cells. *See also* Pulmonary endothelial cells
 hypothermic preservation, dopamine pretreatment and, **160:325**
- Endothelial progenitor cells, growth and differentiation, extracellular matrix-like scaffolds and, **164:50**
- Endothelin-1, and hepatic ischemia-reperfusion injury, in obstructive cholestasis (mouse), **162:46**
- Endotoxemia, early myocardial dysfunction in, role of heme-oxygenase-1 (rat), **158:94**
- Enteral nutrition
 after subarachnoid hemorrhage, and change in brain glucose, **162:221**
 half-solid nutrients for, in canine model of GERD, **161:272**
- Enterochromaffin-like (ECL) cell hyperplasia, in patients with type I gastric carcinoids, **162:22**
- Epidermal growth factor (EGF) receptor inhibitor, effects on proliferative cholangitis (rat), **162:59**
- Epigallocatechin-3-gallate, attenuation of hepatic ischemia-reperfusion-induced apoptosis (rat), **159:720**
- Erratum, **162:168, 162:169, 164:74**
- Erythrocyte transfusion
 and CD4+ T-helper cells in immune response to heart surgery, **164:43**
 immunomodulation related to, in pancreatic cancer, gender differences (mice), **164:23**
- Erythropoiesis, norepinephrine and, dose-response relationship for (rat), **163:e85**
- Erythropoietin (EPO), and colonic anastomotic healing (rat), **163:e67**
- Esophageal cancer, postoperative quality of life assessment in, **163:40**
- Esophageal perforation, in children, **164:13**
- Esophageal smooth muscle, response to pneumoperitoneum (rat), **161:278**
- Esophagectomy, cervical esophagogastric anastomosis for, anastomotic complications, with stapled *versus* hand-sewn technique, **161:9**
- Esophagogastric anastomosis, anastomotic complications, with stapled *versus* hand-sewn technique, **161:9**
- Estrogen replacement therapy, postoperative, effect on wound healing, estrogen receptor subtype mediating (rat), **159:e25**
- Ethyl pyruvate, intestinal benefits of, in extrahepatic cholestasis (rat), **160:228**
- Etomidate
 myoclonus after, protective effect of dexmedetomidine or thiopental pretreatment, **159:e11**
 subanesthetic dose, and skeletal muscle ischemia-reperfusion injury, **159:e1**
- Evidence-based medicine
 and patient outcomes in acute care surgery program, **160:202**
 in trauma care, **163:327**
- Extracellular matrix scaffolds
 constructive remodeling after partial cystectomy (dog), **161:217**
 and endothelial progenitor cell growth and differentiation, **164:50**
- Extracellular signal-regulated kinases (ERK)
 ERK 1/2, activation in hemorrhage, inhibition (rat), **163:118**
 gender-dependent phosphorylation of, and MMP-2 activity in vascular smooth muscle (rat), **160:18**

F

- Facial tissue allotransplantation, cold ischemic time in, and acute rejection (rat), **164:e299**
- Fasciocutaneous flap, acellular bioengineered matrix with vascular pedicle (rat), **164:1**
- Fentanyl, effects on critically ischemic flap survival (mouse), **162:308**
- Fetuin A, plasma levels, in calcific aortic stenosis, **163:12**
- Fibrin sealant, for hiatal mesh fixation (pig), **162:68**
- Fibroblast growth factor (FGF), FGF-1, microbeads loaded with, and neovascularization (rat), **160:209**
- Fibrogenesis, in wound healing, therapeutic ultrasound and (rat), **161:168**
- Fine-needle aspiration biopsy, of thyroid nodules in males, **159:645, 162:165**
- Focused Assessment with Sonography for Trauma (FAST), pediatric, **159:486**
- Foreign-body response, to subcutaneous devices, blood flow in (dog), **158:147**
- Free fatty acids (FFA), pretransplant level, and renal allograft survival, **164:182**

- Frequency scale for the symptoms of gastroesophageal reflux disease (FSSG) questionnaire, in diagnosis of duodenogastric reflux after laparoscopy-assisted distal gastrectomy, **164:e229**
- Fresh-frozen plasma (FFP), and adhesion molecule expression on human pulmonary endothelial cells, **163:317**
- Fundamentals of Research and Career Development Course, efficacy of, overseas, **163:197**
- G**
- Gallbladder cancer, Nrf2, HO-1, and MRP3 in, relationships to clinicopathologic features and prognosis, **164:e99**
- Gastrectomy
 - laparoscopy-assisted
 - duodenogastric reflux after, evaluation, scoring system for, **164:e229**
 - for gastric cancer, in elderly, **158:30**, **161:259**
 - in lymph node-positive gastric cancer, prognostic indicators for, **161:47**
 - subtotal, effects on clinical outcomes in type 2 diabetes mellitus, **164:e67**
- Gastric bypass, hypoxemia after, **159:622**, **162:42**
- Gastric cancer
 - laparoscopic gastrectomy for, in elderly, **158:30**, **161:259**
 - lymphatic and vascular tumor invasion in, clinical significance of, **162:177**
 - lymph node-positive, curative resection, prognostic indicators for, **161:47**
 - peritoneal metastases, pathogenesis of, investigation using *ex vivo* peritoneal model, **164:e265**
 - peritumoral lymphatic microvessel density, prognostic significance of, **164:110**
 - postoperative quality of life assessment in, **163:40**
 - prognosis for
 - lymphatic and vascular tumor invasion and, **162:177**
 - peritumoral lymphatic microvessel density and, **164:110**
 - progression, peritumoral lymphatic microvessel density and, **164:110**
- Gastric smooth muscle, response to pneumoperitoneum (rat), **161:278**
- Gastroesophageal cancer, oncolytic herpesvirus for, effectiveness of, **163:214**
- Gastroesophageal reflux disease (GERD)
 - enteral nutrition in, half-solid nutrients for (dog), **161:272**
 - transient lower esophageal sphincter relaxation in, **159:714**
- Gastrojejunostomy, Roux-en-Y, effects on clinical outcomes in type 2 diabetes mellitus, **164:e67**
- Gender differences
 - in abdominal aortic aneurysm, **159:484**
 - p-ERK signaling and (rat), **160:18**
 - cardiac ischemia-reperfusion, and testosterone-mediated downregulation of Akt pathway, role of BAD, Bcl-2 and FOXO3a (rat), **164:e1**
 - in phosphorylation of ERK, and MMP-2 activity in vascular smooth muscle cells (rat), **160:18**
 - in thyroid cancer, **162:165**
 - transfusion-related progression of pancreatic cancer (mice), **164:23**
- General surgery
 - endoscopy education in, **163:210**
 - future of, **159:487**, **160:25**
 - residents, technical skills rotation for, **161:179**
 - training in, **159:487**
- Gene therapy
 - COX-1, for bypass grafts, effects on graft lumen and blood flow (rabbit), **161:162**
 - in vivo*, targeted gene delivery for, by isolated hepatic perfusion (rat), **160:47**
- Gene transfer, *ex vivo* approach, **160:340**
- Genistein, effects on proliferative cholangitis (rat), **162:59**
- Genitourinary carcinoma, CD147 expression in, **160:260**
- Ginsenoside Rb1, effects on intimal hyperplasia in ApoE knockout mouse, *in vivo* assessment of, **162:26**
- Glasgow Coma Scale-Motor, in physiologic injury severity scoring for trauma patients, **159:627**
- β -Glucan, protective effect against lung injury in abdominal aortic ischemia-reperfusion (rat), **164:e325**
- Glutamine
 - pretreatment, attenuation of LPS-mediated left ventricular dysfunction (mouse), **160:282**
 - supplements, molecular targets of, **161:288**
- Glycogen synthase kinase, GSK-3 β , inhibition in pancreatic cancer cell lines, ZM336372 and, **161:28**
- Granulocyte colony-stimulating factor (G-CSF)
 - preoperative, and improved congested liver regeneration, **158:132**
 - suppression of right ventricular hypertrophy after pulmonary resection (rat), **162:153**
- H**
- Head injury
 - in motorcycle crashes, functional outcomes after, helmets and, **158:1**
 - protective effect of elevated serum lactate levels, **159:468**
- Health care disparity(ies)
 - and management and outcomes for acute appendicitis in adults, **163:221**
 - in Latino children, **163:290**
 - and management and outcomes for pyloric stenosis in children, **158:6**
- Heart
 - Cx43 phosphorylation in, ischemic preconditioning and (rat), **162:e1**
 - donor, cardioplegia, and oxidative stress (sheep), **160:308**
 - dysfunction caused by hepatic ischemia-reperfusion, hydrogen sulphide and (rat), **164:e305**
 - isolated working heart model, **162:239**
 - Langendorff (isolated heart perfusion system), **162:239**
 - ischemic postconditioning (rat), **164:175**
- Heart failure
 - animal models, **162:239**
 - ischemia-induced, animal models of, **162:239**
 - pressure overload
 - animal models of, **162:239**
 - role of intra-aortic balloon counterpulsation and vasopressor therapy (pig), **164:58**
 - volume overload models of, **162:239**
- Heart rate, and outcomes with traumatic brain injury, **163:142**
- Heart surgery
 - Atlas of Cardiac Surgical Techniques: A Volume in the Surgical Techniques Atlas Series* (book review), **161:226**
 - and cardiac reperfusion injury, remote preconditioning and, **164:e21**
 - immune response to, CD4+ T-helper cells in, red blood cell transfusion and, **164:43**
 - risk stratification, by surgeons *versus* risk model, **163:1**
 - transfusion-related adverse outcomes with,transfusion threshold for, **158:20**
- Heart transplantation, heterotopic, modified technique for (rat), **164:155**
- Heat shock, preconditioning, for myoblasts (mouse), **161:62**

- Heat shock protein(s), Hsp-70, and triptolide-mediated cell death in neuroblastoma, **163:72**
- HEET garment, in prevention of hypothermia (pig), **164:126**
- Helper T-cells
- CD4+, in immune response to heart surgery, erythrocyte transfusion and, **164:43**
 - Th₁ and Th₂, cytokines, splanchnic redistribution of, in cholestasis (rat), **162:203**
- Heme oxygenase-1
- and early myocardial dysfunction in endotoxemia (rat), **158:94**
 - in gallbladder cancer, relationships to clinicopathologic features and prognosis, **164:e99**
 - prevention of hyperthyroidism-induced hepatic damage (rat), **164:266**
 - protective effect in pancreatic islet xenograft (rat/mouse), **164:336**
- Hemicolectomy, right, recovery after, with open *versus* laparoscopic procedure, **162:11**
- Hemodilution, hypoxia due to, effects on *ex vivo* normothermic perfused liver (pig), **160:73**
- Hemodynamics, in hemorrhage (pig), **160:288**
- Hemoptysis, with pulmonary aspergilloma, prognostic significance of, **163:e35**
- Hemorrhage
- control, effects of BleedArrest, Celox, and TraumaDex for (pig), **164:e125**
 - hemodynamics and tissue oxygen tension in (pig), **160:288**
- Hemorrhagic shock
- AVP-mediated regulation of vasoreactivity after, V_{1a} receptor in (rat), **161:312**
 - biochemical pathways in (pig), **164:e131**
 - biomarkers in
 - novel (rat), **159:474**
 - valproic acid treatment and (rat), **159:474**
 - liver metabolomic changes in (pig), **164:e131**
 - pharmacologic resuscitation and survival in (rat), **163:118**
 - resuscitation and survival in, whole body periodic acceleration (pGz) and (pig), **164:e281**
 - two-hit model, effect of hypothermia on (rat), **158:121**
- Hemostasis
- BleedArrest, Celox, and TraumaDex for (pig), **164:e125**
 - collagen-based hemostatic adhesive for (rat), **164:e221**
- Heparin, effects on reperfusion injury of island skin flaps in rats exposed to tobacco, **164:139**
- Hepatectomy
- for colorectal cancer metastases, postoperative complications and patient survival with, **164:e91**
 - congested liver remnant after, regeneration, preoperative G-CSF and (rat), **158:132**
 - liver regeneration after, portal venous VEGF and (rat), **159:e37**
 - partial, septic liver damage after, simvastatin pretreatment and (mouse), **162:184**
 - portal vein embolization before, predictors of changes in functional hepatic volumes after, **164:e235**
 - radical, for HBV-related hepatocellular carcinoma, prognostic value of staging systems in, **159:538**
- Hepatitis, redox biology in, **162:95**
- Hepatitis B virus (HBV)
- hepatocellular carcinoma related to, staging systems for, prognostic value post-hepatectomy, **159:538**
 - infection, and hepatic redox regulation, **162:95**
 - X protein, and ERK pathway of c-met expression in hepatocellular carcinoma, **162:231**
- Hepatitis C virus (HCV), infection, and hepatic redox regulation, **162:95**
- Hepatocellular carcinoma (HCC)
- cell lines, proliferation and migration *in vitro*, inhibition by rapamycin, **159:705**
 - c-met downregulation in, and inhibition of tumor cell growth and invasion, **162:231**
 - HBV-related, staging systems for, prognostic value post-hepatectomy, **159:538**
 - nonanatomic resection, **160:81**
 - prevention and treatment, anti-angiogenic therapy for, **158:69**
 - small and single, resection, **160:81**
- Hepatocyte growth factor (HGF), dose variation in TPN-induced liver failure (rat), **163:294**
- Hepatocytes
- cold preservation in University of Wisconsin Solution, polyethylene glycol modified-albumin and (rat), **164:95**
 - NF κ B translocation in, PKA-independent inhibition by cAMP, **159:565**
 - redox regulation in, **162:95**
- Hepatogenesis, mesenchymal progenitor cell differentiation during, β -catenin and (mouse), **164:276**
- Hernia repair
- end-stage abdominal wall failure after, abdominal wall allotransplantation for (pig), **162:314**
 - inguinal, totally extraperitoneal laparoscopic technique for, extraperitoneal analgesia for, **162:279**
 - mesh fixation in, cyanoacrylate surgical glue for, **163:e53**
- Herpes simplex virus, type 1, oncolytic, effectiveness against gastroesophageal cancer, **163:214**
- High-frequency oscillatory ventilation (HFOV)
- in acute lung injury, titration of mean airway pressure and FiO₂ during (pig), **164:e147**
 - airway pressure loss in, and oxygenation loss (pig), **162:250**
- Histone deacetylase inhibitors
- attenuation of MAPK-mediated liver injury in septic shock (mouse), **163:146**
 - lithium chloride and, combination therapy for medullary thyroid cancer, **159:640**
- Hospital quality rankings, voluntary reporting and, **161:190**
- Humoral immune response, with open *versus* laparoscopic colorectal surgery, meta-analysis, **164:28**
- Hydrogel
- in bioabsorbable copolymer used for tracheal defect repair (rabbit), **160:114**
 - macromolecular crosslinking, and prevention of postoperative abdominal adhesions (rat), **159:772**
 - PVA-alginate hybrid, for restoration of craniofacial cartilage, **163:331**
- Hydrogen sulfide, protective effects
- in cutaneous tissue transplantation, **159:451**
 - against renal and cardiac injury after total hepatic ischemia-reperfusion (rat), **164:e305**
- Hydroxyethyl starch, anti-inflammatory effect in sepsis (rat), **160:133**
- Hypercoagulability, enzymatic *versus* platelet, differentiation using thromboelastography parameter delta, **163:96**
- Hyperoxygenated solution
- effects on pulmonary parameters in phosgene-induced acute lung injury (rabbit), **164:131**
 - infusion during one-lung ventilation (pig), **159:653**
- Hyperparathyroidism, in morbidly obese gastric bypass patients, **164:198**
- Hyperthyroidism, hepatic damage in, prevention by heme oxygenase-1 (rat), **164:266**
- Hypothermia
- mild, in hepatic ischemia-reperfusion, benefits of (rat), **158:43**
 - for preservation of cultured vascular endothelial cells, and activation of calpain expression and ubiquitination, **160:325**

- prevention of, HEET garment and (pig), **164:126**
and splanchnic flow and lung, in two-hit model of hemorrhagic shock (rat), **158:121**
- Hypoxemia, postoperative, in gastric bypass patients, **159:622, 162:42**
- Hypoxia
effects on *ex vivo* normothermic perfused liver (pig), **160:73**
myoblast troponin expression during, heat shock and (mouse), **161:62**
- I
- Id gene, and pancreatic cancer metastatic potential, **161:76**
- Ileal pouch-anal anastomosis
inflammation in, stasis and (rat), **159:663, 164:75**
pouchitis after, animal models for, **159:663**
- Ileostomy, modified Paul-Mikulicz, in isolated small bowel transplantation (pig), **164:329**
- Ileus
amelioration with L-nit administration, mechanism of (rat), **163:102**
opiate-induced, daikenchuto and (guinea pig), **164:84**
- Immune response. *See also* Humoral immune response
activation after burn injury, CpG oligonucleotides and (mouse), **161:111**
to heart surgery, CD4+ T-helper cells in, red blood cell transfusion and, **164:43**
- Immunomodulation, transfusion-related, in pancreatic cancer, gender differences (mice), **164:23**
- Immunonutrients, molecular targets of, **161:288**
- Incisional hernia, repair, prosthetic materials for, **159:665**
- Inflammation
biliary, reversible surgical model (mouse), **164:221**
at burn site, and burn wound healing (mouse), **158:112**
curcumin and, in liver regeneration complicated by infection (rat), **159:497**
remote ischemic preconditioning and, **158:155**
and resection-induced intestinal adaptive growth in IL-10 null mice, **162:160**
titanium particulate-induced, effects of pyrrolidine dithiocarbamate on (mouse), **162:225**
- Inflammatory bowel disease (IBD), Stat6^{null} phenotype, defect causing, **162:290**
- Insulin-like growth factor(s), IGF-1, PTEN suppression, in pancreatic cancer cells, **160:90**
- Insurance status
and mortality after traumatic brain injury, **163:303**
and perforation in adults with acute appendicitis, **163:221**
and 2-year mortality after non-neurologic trauma, **160:196**
- Intercoat, adhesion prophylaxis, analysis (rat), **161:246**
- Interferon gamma, suppression of STAT6 function, **162:290**
- Interleukin(s) (IL)
IL-2, knockdown by shRNA-mediated RNA interference, and liver allograft survival (rat), **159:582**
IL-4, impaired phosphorylation of STAT6, in EBV-transformed B-cells, **162:290**
IL-6
and biliary carcinogenesis (hamster), **162:54**
intestinal production of, remote thermal injury and (mouse), **160:190**
synthesis in trauma patient, p38 MAPK signaling and, **161:119**
IL-10, polymorphism, and decreased mortality risk after burn injury, **164:e141**
IL-17F, PKC-dependent hyperpermeability of pulmonary microvascular endothelial cells induced by (rat), **162:110**
IL-18, and pulmonary injury after hepatic ischemia-reperfusion (mouse), **158:87**
IL-33, serum level in liver failure, **163:e79**
- Internet, and support services for patients with lung cancer, **160:35**
- Interstitial cells of Cajal (ICC), in bladder, mechanical sensitivity of (guinea pig), **164:e213**
- Intestinal motility, colonic, daikenchuto and (guinea pig), **164:84**
- Intestinal mucosa, inflammatory response, after remote thermal injury (mouse), **160:190**
- Intestinal perforation, in neonate, peritoneal drainage *versus* laparotomy for, **161:95**
- Intestinal transplantation, modified Paul-Mikulicz ileostomy in (pig), **164:329**
- Intestinal tumors, pediatric, analysis of treatment-outcome relationships, limitations of SEER database in, **161:237**
- Intestine
hydrostatic edema, inducible nitric oxide synthase in (rat), **163:102**
inflammatory response in extrahepatic cholestasis, effects of ethyl pyruvate (rat), **160:228**
ischemia-reperfusion, acute lung injury caused by ischemic preconditioning and (rat), **160:294**
protective effect of HB-EGF (mouse), **163:86**
ischemia-reperfusion injury
effects of ELR-CXC chemokine antagonist on (rat), **162:264**
mesenchymal stem cells for, **164:214**
proteomics of, with and without ischemic postconditioning (rat), **164:e173**
oxidative stress in extrahepatic cholestasis, effects of ethyl pyruvate (rat), **160:228**
resection-induced adaptive growth, inflammation and, in IL-10 null mice, **162:160**
- Intimal hyperplasia, serum MMP-2 as marker for, **160:9**
- Intraabdominal peritoneal onlay mesh (IPOM)
small intestine submucosa implants in (rat), **161:264**
and translational research, **160:224**
- Intraabdominal pressure, elevated, transpulmonary pressure with (pig), **159:e17**
- Intra-aortic balloon pump, for right ventricular pressure overload (pig), **164:58**
- Intravenous regional anesthesia, premedication for, dexmedetomidine alone or with lidocaine for, **164:242**
- Intravital microscopy, of arteriolar relaxing activity *in vivo* (mouse), **164:169**
- IPOM. *See* Intraabdominal peritoneal onlay mesh (IPOM)
- Ischemia-reperfusion/ischemia-reperfusion injury
abdominal aortic, lung injury caused by, protective effect of β -glucan (rat), **164:e325**
cardiac
after long-term cardioplegia, leupeptin and NOS3 in (rat), **164:e27**
in heart valve replacement, remote preconditioning and, **164:e21**
phenylephrine-induced cardioprotection in, mitochondrial permeability transition pore and (rat), **164:e37**
testosterone-down-regulated Akt pathway during, role of BAD, Bcl-2 and FOXO3a (rat), **164:e1**
cold, for liver, Mrp2-dependent bile flow after, preservation solutions and (rat), **159:572**
cold ischemic time in, and acute rejection in allotransplantation model (rat), **164:e299**
in cutaneous tissue transplantation, protective effect of hydrogen sulfide, **159:451**
gastric, angiotensin II in (rat), **161:126**
hepatic

- apoptosis induced by, attenuation by epigallocatechin-3-gallate (rat), **159:720**
- biomarkers of lipid peroxidation in (pig), **161:139**
- with cold preservation in University of Wisconsin Solution, PEG-modified albumin and (rat), **164:95**
- effect of modified mild heat shock in (mouse), **162:213**
- mild hypothermia in, benefits of (rat), **158:43**
- in obstructive cholestasis, endothelin-1 and (mouse), **162:46**
- protective effect of montelukast (rat), **159:588**
- pulmonary injury after, IL-18 and (mouse), **158:87**
- warm, cimetidine in (rat), **159:680**
- and injury of island skin flaps in rats exposed to tobacco, effects of pentoxifylline and heparin on, **164:139**
- intestinal
- effects of ELR-CXC chemokine antagonist on (rat), **162:264**
 - mesenchymal stem cells for, **164:214**
 - protective effect of carnitine in (rat), **159:603**
 - protective effect of HB-EGF in (mouse), **163:86**
 - proteomics of, with and without ischemic postconditioning (rat), **164:e173**
- mesenteric, regional blood flow distribution and oxygen metabolism in (dog), **161:54**
- myocardial, protective effect of noninvasive limb ischemic preconditioning (rat), **164:162; 159:660**
- pancreatic, renal dysfunction caused by, mannitol and (rat), **160:163**
- protective role of vitamin D3 in, **164:e47**
- pyruvate derivatives for, role of structure and lipophilicity, **164:72**
- renal
- brain natriuretic peptide and (rat), **164:e13**
 - human adrenomedullin/adrenomedullin binding protein treatment for (rat), **163:110**
 - protective effect of complement inhibition (rat), **159:747**
 - protective effect of Lifer solution in (rat), **164:e291**
 - protective effect of rutin in (rat), **164:309**
- reperfusion phase, and gait variability patterns, **164:6**
- in skeletal bone, effect of preconditioned hyperbaric oxygen and ozone on (rat), **164:e83**
- skeletal muscle, subanesthetic doses of ketamine, propofol, and etomidate and, **159:e1**
- and skeletal muscle edema (rat), **160:253**
- total hepatic, renal and cardiac injury after, protective effect of hydrogen sulphide against (rat), **164:e305**
- Ischemic postconditioning
- for heart, *in vivo* study (rat), **164:175**
 - for Langendorff perfused rat heart, **164:175**
 - and proteomics of intestinal ischemia-reperfusion injury (rat), **164:e173**
- Ischemic preconditioning
- intestinal, effects on ischemia-reperfusion-induced acute lung injury (rat), **160:294**
 - noninvasive limb, cardioprotective effect (rat), **164:162**
 - and phosphorylation of extrajunctional Cx43 in heart (rat), **162:e1**
 - remote
 - cardioprotective effect (rat), **159:660, 164:162**
 - and neutrophil function, **158:155**
- Islet transplantation
- donor pretreatment with DHMEQ in (mouse), **163:e23**
 - islet transportation for, oxygenated perfluorocarbon and (rat), **162:284**
 - omental roll-up and (dog), **161:134**
 - into striated musculature, reversal of diabetes after (rat), **160:145**
 - xenograft, protective effect of heme oxygenase-1 (rat/mouse), **164:336**
- J
- Jaundice, obstructive, reversible surgical model (mouse), **164:221**
Journal of Surgical Research, Editorial Board, 2010, **160:1**
- K
- Keratinocytes, growth and migration, effects of noninvasive electromagnetic fields on, **162:299**
- Ketamine
- effects on critically ischemic flap survival (mouse), **162:308**
 - subanesthetic dose, and skeletal muscle ischemia-reperfusion injury, **159:e1**
- Kidney(s)
- dysfunction
 - caused by hepatic ischemia-reperfusion, hydrogen sulphide and (rat), **164:e305**
 - caused by pancreatic ischemia-reperfusion, mannitol and (rat), **160:163** - ischemia-reperfusion
 - brain natriuretic peptide and (rat), **164:e13**
 - protective effect of complement inhibition (rat), **159:747**
 - protective effect of Lifer solution in (rat), **164:e291** - ischemia-reperfusion injury
 - human adrenomedullin/adrenomedullin binding protein treatment for (rat), **163:110**
 - protective effect of rutin in (rat), **164:309** - post-ischemic function, leucocyte-depleted hemoreperfusion and (pig), **164:e315**
- Kidney transplantation
- allograft survival, pretransplant free fatty acids and, **164:182**
 - minimally invasive renal auto-transplantation, first report, **164:e181**
 - outcomes, in older high-risk recipients, **161:173**
 - using left and right renal grafts (mouse), **163:e91**
- Kupffer cells, and vasoregulatory genes in trauma and sepsis (rat), **158:104**
- L
- Lactate, elevated serum levels, in trauma patients, **159:468**
- Laparoscopic surgery
- for antrectomy, in treatment of type I gastric carcinoids, **162:22**
 - for appendectomy
 - in complicated appendicitis, *versus* open procedure, **163:225**
 - outcomes, *versus* outcomes with open procedure, **161:13** - for cholecystectomy
 - in obese children, **163:299**
 - outcomes with, residents' duty hours and, **163:192** - colorectal, humoral response to, **164:28**
 - Fundamentals of Laparoscopic Surgery skill retention (learning) in first year surgery residents, **163:24**
 - for inguinal hernioplasty, extraperitoneal analgesia for, **162:279**
 - for right hemicolectomy, recovery after, comparison to open procedure, **162:11**
 - in Tenckhoff catheter placement for peritoneal dialysis, comparison with open surgery, **159:489**
- Laparoscopy, in pediatric urology, performance-based assessment of trainees in, **161:240**
- Laparoscopy-assisted gastrectomy, for gastric cancer, in elderly, **158:30, 161:259**
- Laparotomy, emergency, Simple Prognostic Index (SPI) as prognostic scoring tool for, **163:e59**

- Laser speckle perfusion imaging, of engraftment in flap revascularization (mouse), **164:e201**
- Latissimus dorsi muscle, fine needle biopsy, **164:e257**
- Lavasept, toxic side effects, evaluation *in vitro*, **164:344**
- LeapFrog Group, hospital quality rankings, voluntary reporting and, **161:190**
- Left anterior descending coronary artery, occlusion, animal models, **162:239**
- Left ventricular dysfunction, LPS-mediated, attenuation by glutamine preconditioning (mouse), **160:282**
- Leukemia, as second malignancy in pediatric solid tumors, **160:184**
- Leukocyte-depleted hemoperfusion, and post-ischemic renal function (pig), **164:e315**
- Leukocyte recruitment, in cholestatic liver injury (mouse), **159:666**
- Leupeptin, and cardiac NOS3 during long-term cardioplegia/reperfusion (rat), **164:e27**
- Levobupivacaine, extraperitoneal analgesia, for totally extraperitoneal laparoscopic inguinal hernioplasty, **162:279**
- Lifor solution, protective effect in renal ischemia-reperfusion (rat), **164:e291**
- Lipid peroxidation
 - in hepatic ischemia-reperfusion injury, biomarkers of (pig), **161:139**
 - in wound healing, therapeutic ultrasound and (rat), **161:168**
- Lipopolysaccharide (LPS), and cardiac dysfunction, heme-oxygenase-1 and (rat), **158:94**
- Lithium chloride, and histone deacetylase inhibitors, combination therapy for medullary thyroid cancer, **159:640**
- Liver
 - alcohol-induced injury, and hepatic redox regulation, **162:95**
 - changes in functional hepatic volumes after hepatectomy, predictors of, after preoperative portal vein embolization, **164:e235**
 - cholestatic injury
 - caffeic acid phenethyl ester (CAPE) treatment for (rat), **159:674**
 - reversible surgical model (mouse), **164:221**
 - Rho-kinase signaling in (mouse), **159:666**
 - cold preservation
 - in ET-Kyoto solution, Mrp2-dependent bile flow after (rat), **159:572**
 - in histidine-tryptophan-ketoglutarate (HTK) solution Mrp2-dependent bile flow after (rat), **159:572**
 - organ protective potential in machine perfusion of marginal liver grafts (rat), **160:155**
 - Mrp2-dependent bile flow after, preservation solutions and (rat), **159:572**
 - in University of Wisconsin Solution Mrp2-dependent bile flow after (rat), **159:572**
 - polyethylene glycol modified-albumin and (rat), **164:95**
 - colorectal cancer metastases in, postoperative complications and patient survival with, **164:e91**
 - congested, postoperative regeneration, preoperative G-CSF and (rat), **158:132**
 - CT-based volume calculation (pig), **160:236**
 - fibrosis, mediators, differential expression in biliary atresia (mouse), **159:611**
 - hyperthyroidism-induced damage, prevention by heme oxygenase-1 (rat), **164:266**
 - injury in sepsis
 - adiponectin and (mouse), **161:301**
 - MAPK-mediated, attenuation by histone deacetylase inhibitor (mouse), **163:146**
 - ischemia-reperfusion
 - apoptosis induced by, attenuation by epigallocatechin-3-gallate (rat), **159:720**
 - biomarkers of lipid peroxidation in (pig), **161:139**
 - mild hypothermia in, benefits of (rat), **158:43**
 - normothermic, effects of hypoxia due to isovolemic hemodilution (pig), **160:73**
 - protective effect of montelukast (rat), **159:588**
 - pulmonary injury after, IL-18 and (mouse), **158:87**
 - renal and cardiac injury after, protective effect of hydrogen sulphide against (rat), **164:e305**
 - warm, cimetidine in (rat), **159:680**
 - ischemia-reperfusion injury
 - effect of modified mild heat shock in (mouse), **162:213**
 - in obstructive cholestasis, endothelin-1 and (mouse), **162:46**
 - LPS-induced damage after partial hepatectomy, simvastatin pretreatment and (mouse), **162:184**
 - metabolomic changes in hemorrhagic shock (pig), **164:e131**
 - microcirculation, and role of Kupffer cells and vasoregulatory genes in trauma and sepsis (rat), **158:104**
 - nitric oxide and redox regulation in, **162:95**
 - postoperative regeneration, curcumin and (rat), **159:497**
 - radiofrequency ablation, bacterial translocation induced by (rat), **161:250**
 - regenerative response
 - in liver isografts (rat), **161:328**
 - portal venous VEGF and (rat), **159:e37**
 - redox regulation and, **162:95**
 - targeted gene delivery to, by isolated hepatic perfusion (rat), **160:47**
 - TPN-induced failure, dose variation of HGF in (rat), **163:294**
 - tumors, radiofrequency ablation, needle perfusion technique for, **159:532**
- Liver cancer. *See also* Hepatocellular carcinoma (HCC)
 - postoperative quality of life assessment in, **163:40**
- Liver failure, upregulation of IL-33 and soluble ST2 serum levels in, **163:e79**
- Liver transaminase(s), assessment, in pediatric blunt abdominal trauma, **159:486**
- Liver transplantation
 - allograft survival in, IL-2 knockdown by shRNA-mediated RNA interference and (rat), **159:582**
 - for hepatocellular carcinoma, rapamycin's antitumoral properties in, **159:705**
 - marginal grafts for, machine perfusion of (rat), **160:155**
 - small-sized grafts for, regenerative response in (rat), **161:328**
 - steatotic graft, protective effect of GSH and venous systemic oxygen persufflation (rat), **158:138**
- Lower esophageal sphincter (LES), transient relaxation, and esophageal motor response, **159:714**
- Lumbar surgery, anterior, minimal access *versus* conventional, actin-free Gc-globulin after, **164:105**
- Lung(s). *See also* Pulmonary endothelial cells
 - apoptosis in, in severe peritonitis, **164:321**
 - aspergilloma, preoperative symptoms in, prognostic significance of, **163:e35**
 - compensatory growth, VEGF isoform and receptor expression in (mouse), **160:107**
 - neutrophil sequestration and activation in severe peritonitis, **164:321**
- Lung cancer
 - CHRNA5* gene polymorphism in, **162:75**
 - inhibition by pterostilbene, **161:18**, **161:196**
 - Internet-based support services for patients with, **160:35**
 - non-small cell
 - cell cycle regulators in, histologic-type-specific role of, **164:256**
 - stage I, postoperative serum CEA levels in, prognostic significance of, **163:e45**

second primary, in SEER database, **162:1**
 synchronous second non-small cell, in SEER database, **162:1**
 Lung injury. *See also* Acute lung injury
 in abdominal aortic ischemia-reperfusion, protective effect of β -glucan (rat), **164:e325**
 in acute necrotizing pancreatitis, effects of *Saccharomyces boulardii* ion (rat), **160:139**
 after hepatic ischemia-reperfusion, IL-18 in (mouse), **158:87**
 ventilator-induced (pig), **162:250**
 Lymphangiogenesis, in gastric cancer, prognostic significance of, **164:110**

M

Macrophage(s), cell surface scavenger receptors, in phagocytosis of fungal agents and yeast, **164:e273**
 Macrophage migration inhibitory factor (MIF)
 inhibition, and suppression of pancreatic cancer cells, **160:29**
 in severe sepsis and septic shock, prognostic significance of, **164:e163**
 Magnetic resonance imaging (MRI), surveillance, for women with prior curative-intent therapy for breast cancer, **163:58**
 Malignant rhabdoid tumor, pediatric, prognostic indicators in, **163:257**
 Mammography, as screening tool for diabetes, **159:528**
 Mannitol, and renal dysfunction caused by pancreatic ischemia-reperfusion (rat), **160:163**
 MarginProbe, real-time margin assessment of lumpectomy specimens, **160:277**
 Mass spectrometry, in metabonomics, **160:122**
 Mast cell degranulation, and anastomotic healing in colon (rat), **164:e73**
 Mastectomy, prophylactic, role of sentinel lymph node biopsy in, **164:188**
 Matrix metalloproteinase (MMP)
 expression of, and acute wound healing, **159:633**
 and hepatic fibrosis in biliary atresia (mouse), **159:611**
 MMP-2
 inhibition of calcium-dependent venous contraction (rat), **159:755**
 and neointimal hyperplasia, **158:33**
 serum levels, as marker for intimal hyperplasia, **160:9**
 MMP-8, expression in acute thoracic aortic dissection, **163:e99**
 in pancreatic carcinoma, caveolin-1 and, **159:443**
 promoter activation, wall tension and (mouse), **160:333**
 Medetomidine, effects on critically ischemic flap survival (mouse), **162:308**
 Melanoma, stage-related tissue expression of stem cell markers in, **163:e11**
 Mesenteric blood flow
 hypothermia and, in two-hit model of hemorrhagic shock (rat), **158:121**
 during mesenteric ischemia and congestion (dog), **161:54**
 Mesh biotechnology. *See also* Intraabdominal peritoneal onlay mesh (IPOM)
 antibiotic-releasing, to reduce prosthetic sepsis, *in vivo* study (mouse), **163:337**
 and experimental IPOM repair, **160:224**
 in hernia repair, cyanoacrylate surgical glue for, **163:e53**
 hiatal mesh fixation, fibrin sealant for (pig), **162:68**
 human, and *in vitro* activation of human peripheral blood mononuclear cells, **158:10**
 and incisional hernia repair, **159:665**
 Metabolome, definition of, **160:122**

Metabonomics
 analytical techniques, **160:122**
 applications of, **160:122**
 definition of, **160:122**
 of hemorrhagic shock (pig), **164:e131**
 MG-132, inhibition of carcinoid growth, **158:15**
 Microangiography, using synchrotron radiation (rat hind limb), **164:e193**
 Microbeads, alginate
 FGF-1-loaded, and neovascularization (rat), **160:209**
 synthesis of, **160:209**
 Micro-computed tomography, of rat hind limb, **164:e193**
 Microtubule-associated (MAP) kinase phosphatase-1, CC-5079 and, **164:116**
 Microvascular imaging, using synchrotron radiation (rat hind limb), **164:e193**
 Microvessels, relaxation, exogenous nitric oxide donation and, *in vivo* (mouse), **164:169**
 Minimally invasive surgery
 anterior lumbar, actin-free Gc-globulin after, **164:105**
Atlas of Minimally Invasive Surgery (book review), **159:651**
 for colorectal cancer, in obese patients, **163:29**
 for renal auto-transplantation, first report, **164:e181**
 Mitochondrial permeability transition pore, and cardioprotective effect of phenylephrine (rat), **164:e37**
 Mitogen-activated protein kinase(s) (MAPK)
 in abdominal aortic aneurysms, **159:484**
 p38 activation in trauma patient, clinical significance of, **161:119**
 Monocyte(s)/macrophage(s)
 activation *in vitro*, by human biologic meshes, **158:10**
 anti-inflammatory effect of hydroxyethyl starch and (rat), **160:133**
 Montelukast, protective effect in hepatic ischemia-reperfusion (rat), **159:588**
 Mosapride citrate, antioangiogenic effect of, **159:696**
 Motorcycle helmets, and functional outcomes after motorcycle crashes, **158:1**
 MPK1. *See* Microtubule-associated (MAP) kinase phosphatase-1
 M290SAP, effect on induction of CD4⁺ CD25⁺ regulatory T-cells (mouse), **163:162**
 Multidrug resistance related protein 3 (MRP3), in gallbladder cancer, relationships to clinicopathologic features and prognosis, **164:e99**
 Muscle biopsy, fine needle, in proximal muscles of upper limbs, **164:e257**
 Myeloperoxidase+ cells, and post-ischemic renal function (pig), **164:e315**
 Myoblasts, troponin expression and caspase-3 dependence, effects of hypoxia (mouse), **161:62**
 Myocardial infarct/infarction
 animal model, correlation of ischemic area and coronary flow with ameroid size in (pig), **164:38**
 animal models, **162:239**
 Myocardial ischemia
 animal models, **162:239**
 cardiomyocyte apoptosis in, apoptosis repressor with caspase recruitment domain and (sheep), **161:38**
 correlation of ischemic area and coronary flow with ameroid size in (pig), **164:38**
 Myocardium
 Akt pathway, testosterone-mediated downregulation during ischemia/reperfusion, role of BAD, Bcl-2 and FOXO3a (rat), **164:e1**
 dysfunction in early endotoxemia, role of heme-oxygenase-1 (rat), **158:94**

- hibernating, correlation of ischemic area and coronary flow with ameroid size in (pig), **164:38**
- hyperoxia preconditioning, late-phase prolongation by intermittent exposure (rat), **160:53**
- revascularization, heparin- and basic fibroblast growth factor-incorporated stent for (minipig), **164:204**
- Myocutaneous flaps, revascularization, engraftment in (mouse), **164:e201**
- Myoglobin, serum levels, after minimal access *versus* conventional anterior lumbar surgery, **164:105**
- N
- Near-infrared spectroscopy, for noninvasive measurement of tissue oxygen saturation (pig), **160:40**
- Necrotizing enterocolitis (NEC)
- nitric oxide and superoxide production in (rat), **161:1**
 - peritoneal drainage *versus* laparotomy for, **161:95**
 - protective role of intestinal alkaline phosphatase in (rat), **163:79**
- Neocartilage formation, hybrid construct for, **163:331**
- Neointimal hyperplasia
- cellular mechanisms in (rabbit), **161:146**
 - matrix metalloproteinase MMP-2 and, **158:33**
- Neovascularization, FGF-1-loaded microbeads and (rat), **160:209**
- Nerve anastomosis, DuraSeal as ligature in (rat), **161:101**
- Neuroblastoma, triptolide-mediated cell death in, role of Hsp-70 in, **163:72**
- Neuroendocrine tumor(s)
- metastatic, with unknown primary, NKX2.2 expression and determination of primary site, **163:47**
 - pancreatectomy for, complications after, **163:63**
- Neutrophil(s)
- functional changes, remote ischemic preconditioning and, **158:155**
 - pulmonary sequestration and activation, in severe peritonitis, **164:321**
- NF-E2-related factor 2 (Nrf2), in gallbladder cancer, relationships to clinicopathologic features and prognosis, **164:e99**
- Nile red staining, of cells with adrenocortical progenitor cell-like phenotype, **161:34**
- Nitric oxide
- donation, exogenous, and desensitization of arteriolar relaxing activity *in vivo* (mouse), **164:169**
 - post-cardioplegia restoration of, by bradykinin, **163:e1**
 - production in experimental necrotizing enterocolitis (rat), **161:1** and redox regulation in liver, **162:95**
 - release, by whole body periodic acceleration (pGz), effects on resuscitation and survival in hemorrhagic shock (pig), **164:e281** and wound inflammatory response (mouse), **158:112**
- Nitric oxide synthase (NOS)
- endothelial, pravastatin effects on, and diabetic wound healing (rat), **161:336**
 - in experimental necrotizing enterocolitis (rat), **161:1**
 - inducible
 - expression in gastric ischemia-reperfusion, angiotensin II and (rat), **161:126**
 - in intestinal edema (rat), **163:102**
- NOS3, cardiac, long-term cardioplegia/reperfusion and (rat), **164:e27**
- NKX2.2, and determination of primary site in metastatic neuroendocrine tumor with unknown primary, **163:47**
- Nonalcoholic fatty liver disease, and hepatic redox regulation, **162:95**
- Non-small cell lung cancer
- cell cycle regulators in, histologic-type-specific role of, **164:256**
 - stage I, postoperative serum CEA levels in, prognostic significance of, **163:e45**
- Norepinephrine, and erythropoiesis, dose-response relationship for (rat), **163:e85**
- NT-pro-BNP, plasma levels, in calcific aortic stenosis, **163:12**
- Nuclear factor kappa B (NF κ B)
- anti-inflammatory effect of hydroxyethyl starch and (rat), **160:133**
 - downregulation by epigallocatechin-3-gallate, and attenuation of hepatic ischemia-reperfusion-induced apoptosis (rat), **159:720**
 - inhibitor, effects on titanium particulate-induced inflammation (mouse), **162:225**
 - translocation in hepatocytes, PKA-independent inhibition by cAMP, **159:565**
- Nuclear magnetic resonance spectroscopy, in metabonomics, **160:122**
- Nucleofection, for engineering fibroblasts, **160:340**
- Nucleotides, in pharmaconutrients, **161:288**
- Nutritional assessment, in elderly with hip fractures, predictive value, **159:503**
- O
- Obesity
- in children, and laparoscopic cholecystectomy, **163:299**
 - and minimally invasive surgery for colorectal cancer, **163:29**
 - morbid, and vitamin D status, **164:198**
 - subcutaneous, quantitative measurements in colorectal cancer patients, validation, **164:18**
 - and survival after coronary artery bypass grafting, **163:7**
 - visceral, quantitative measurements in colorectal cancer patients, validation, **164:18**
 - and wound complications in rectal cancer surgery, **163:35**
- Octenisept, toxic side effects, evaluation *in vitro*, **164:344**
- Omega-3 fatty acids, supplements, molecular targets of, **161:288**
- Omental roll-up, for islet engraftment (dog), **161:134**
- Oncology, metabonomics and, **160:122**
- One-lung ventilation, hyperoxygenated solution infusion during (pig), **159:653**
- Operating room dashboard, in academic medical center, **162:43, 164:294**
- Organ transplantation. *See also* Heart transplantation; Liver transplantation
- cold ischemic time in, and acute rejection in allotransplantation model (rat), **164:e299**
 - metabonomics and, **160:122**
- Osteoarthritis, rabbit model, **164:234**
- Osteopontin, plasma levels, in calcific aortic stenosis, **163:12**
- Outcomes
- with carotid endarterectomy, surgeon specialty and, **159:595**
 - resident work-hour restrictions and cardiac surgical outcomes, **160:222**
- Oxidative stress
- with cardioplegia and reperfusion (sheep), **160:308**
 - and early myocardial dysfunction in endotoxemia, heme-oxygenase-1 and (rat), **158:94**
 - in traumatic brain injury (rat), **164:316**
- Oxygen
- hyperbaric, preconditioning with, effect on ischemia-reperfusion injury in skeletal bone (rat), **164:e83**
 - topical dissolved, penetration of skin, **159:e29**
- Oxygenation. *See also* Tissue oxygen saturation
- airway pressure loss in high frequency oscillatory ventilation and (pig), **162:250**
 - during one-lung ventilation, hyperoxygenated solution infusion and (pig), **159:653**
- Oxygen metabolism, during mesenteric ischemia and congestion (dog), **161:54**
- Oxytocin, alleviation of burn injury (rat), **162:122**

- Ozone, preconditioning with, effect on ischemia-reperfusion injury in skeletal bone (rat), **164:e83**
- P
- p27, expression in histologic subtypes of non-small cell lung cancer, **164:256**
- Pancreas
 cancer metastatic to, pancreatic resection for, **160:268**
 fibrosis, assessment of, **158:53**
 hardness, assessment of, surgeon *versus* durometer, **158:53**
 ischemia-reperfusion, renal dysfunction caused by, mannitol and (rat), **160:163**
 radiodensity, correlation with pancreatic fibrosis, **158:53**
- Pancreatectomy
 for cancer metastatic to pancreas, **160:268**
 for pancreatic neuroendocrine tumors, complications after, **163:63**
- Pancreatic cancer
 Bcl-2 targeting in, **163:276**
 cell lines, proliferation, ZM336372 and, **161:28**
 hepatic metastases, prevention by tumor-targeting mutant of *S. typhimurium* (mouse), **164:248**
 IGF-1/PI3K/PTEN/Akt/NF- κ B signaling in, **160:90**
 matrix metalloproteinase in, caveolin-1 and, **159:443**
 metastases, prevention of, **160:90**
 metastatic potential, Id/Id3 knockdown and, **161:76**
 novel therapeutic targets in, **164:301**
 postoperative quality of life assessment in, **163:40**
 suppression by macrophage migration inhibitory factor inhibition, **160:29**
 transfusion-related progression, in male *versus* female mice, **164:23**
- Pancreatic neuroendocrine tumors, pancreatectomy for, complications after, **163:63**
- Pancreaticoduodenectomy
 fibrosis of pancreatic remnant after monitoring, **158:61**
 reconstructive technique and, **164:e49**
 pancreatic anastomotic leakage after, **158:61**
- Pancreatic remnant, fibrosis
 after pancreaticoduodenectomy, reconstructive technique and, **164:e49**
 monitoring, after pancreaticoduodenectomy, **158:61**
- Pancreatic resection, exocrine insufficiency after, **164:e43**
- Pancreatitis
 acute, proteasome inhibitor therapy for (mouse), **162:39**, **162:193**
 acute necrotizing, lung injury in, effects of *Saccharomyces boulardii* ion (rat), **160:139**
- Parathyroid hormone (PTH), deficiency, after total thyroidectomy, incidence and duration, **163:69**
- Parathyroid hormone-related protein (PTHrP), PTHrP 1-141 and 1-86, and *in vitro* bone formation, **162:e9**
- Parecoxib, preemptive administration, for radical axillary lymph node dissection, **162:88**
- Patient satisfaction, in surgery, factors affecting, **164:e53**
- Pedestrian injury(ies), roadside
 age and, **163:323**
 injury patterns in, **163:323**
- Penile cancer, CD147 expression in, clinical significance of, **160:260**
- Pentoxifylline, effects on reperfusion injury of island skin flaps in rats exposed to tobacco, **164:139**
- Perfluorocarbon, oxygenated, and islet transportation (rat), **162:284**
- Periostin, expression in breast cancer, **160:102**
- Peripheral arterial disease
 hind limb ischemia model, **162:239**
 lower extremity, functional impairment in, reperfusion and, **164:6**
- Peripherally inserted central catheter (PICC), bedside ultrasound of, in surgical ICU, **163:155**
- Peripheral vascular disease, lower extremity, functional impairment in, reperfusion and, **164:6**
- Peritoneal dialysis, Tenckhoff catheter placement for, laparoscopic-assisted *versus* open surgery for, **159:489**
- Peritoneal metastases, of gastric cancer, pathogenesis of, investigation using *ex vivo* peritoneal model, **164:e265**
- Peritoneal tumor(s), dissemination, surgical peritoneal environment and (mouse), **162:79**
- Peritonitis, severe, compartmental apoptosis and neutrophil accumulation in, **164:321**
- Peroxisome proliferator activator receptor(s) (PPAR), in sepsis (mouse), **161:301**
- PET-CT, *PET-CT in Radiotherapy Treatment Planning* (book review), **160:213**
- pGz. *See* Whole body periodic acceleration (pGz)
- Phagocytosis, of fungal agents and yeast via macrophage cell surface scavenger receptors, **164:e273**
- Pharmac nutrients, molecular mechanisms of, **161:288**
- Phenylephrine, cardioprotective effect in ischemia-reperfusion, mitochondrial permeability transition pore and (rat), **164:e37**
- Phosgene, acute lung injury caused by, pulmonary edema formation in, attenuation by IV hyperoxygenated solution (rabbit), **164:131**
- Phosphatase and tensin homolog deleted on chromosome 10. *See* PTEN
- Phospholipase A₂ (PLA₂), pulmonary, intestinal ischemic preconditioning and (rat), **160:294**
- Physiologic and operative severity (POSSUM) score, predictive value for emergency surgery, **159:729**
- Pilonidal sinus, Limberg flap for, drainage after, **158:127**
- Plasminogen activator inhibitor (PAI), and hepatic fibrosis in biliary atresia (mouse), **159:611**
- Platelet(s), quiescent, in angiogenesis and diabetic wound repair (mouse), **160:169**
- Platonin, and survival of skin allografts (mouse), **164:146**
- Pleurodesis, autologous blood (rat), **161:228**
- Pneumonectomy, compensatory lung growth after, VEGF isoform and receptor expression in (mouse), **160:107**
- Pneumoperitoneum
 esophageal and gastric responses in (rat), **161:278**
 and gene expression of pre-implanted tumors (mouse), **162:79**
- Polyuridylic acid, antitumor activity in human soft tissue and bone sarcomas, **164:e107**
- Portal pressure, telemetry monitoring of (mouse), **159:618**
- Portal vein embolization, before hepatectomy, predictors of changes in functional hepatic volumes after, **164:e235**
- Pouchitis, stasis and, in ileal pouch-anal anastomosis (rat), **164:75**; **159:663**
- Pravastatin, effects on diabetic wound healing (rat), **161:336**
- Preconditioning. *See also* Ischemic preconditioning
 cardiac, phenylephrine pretreatment for, mitochondrial permeability transition pore and (rat), **164:e37**
 glutamine, attenuation of LPS-mediated left ventricular dysfunction (mouse), **160:282**
 heat shock, for myoblasts (mouse), **161:62**
 high-dose reduced glutathione, protective effect on steatotic graft in liver transplantation (rat), **158:138**
 hyperbaric oxygen, effect on ischemia-reperfusion injury in skeletal bone (rat), **164:e83**
 hypothermic, for hepatectomy, benefits of (rat), **158:43**
 intermittent hyperoxia in, cardioprotective effects of (rat), **160:53**
 intestinal, effects on ischemia-reperfusion-induced acute lung injury (rat), **160:294**

- mild heat shock, effect on hepatic ischemia-reperfusion injury (mouse), **162:213**
- ozone, effect on ischemia-reperfusion injury in skeletal bone (rat), **164:e83**
- remote
and cardiac reperfusion injury in heart valve replacement, **164:e21**
cardioprotective effect (rat), **164:162**
- Probiotic, effects on lung injury in acute necrotizing pancreatitis (rat), **160:139**
- Prontosan, toxic side effects, evaluation *in vitro*, **164:344**
- Propofol, subanesthetic dose, and skeletal muscle ischemia-reperfusion injury, **159:e1**
- Prostate cancer, CD147 expression in, clinical significance of, **160:260**
- Prosthetic device infection, prevention, antibiotic-releasing mesh coating for, *in vivo* study (mouse), **163:337**
- Proteasome inhibitor, therapy with, for acute pancreatitis (mouse), **162:39, 162:193**
- Protein kinase C (PKC), and IL-17F-induced hyperpermeability of pulmonary microvascular endothelial cells (rat), **162:110**
- Proteomics
of intestinal ischemia-reperfusion injury with and without ischemic postconditioning (rat), **164:e173**
linkage to metabolomics, **160:122**
- PS-341, therapy with, for acute pancreatitis (mouse), **162:39, 162:193**
- Pseudomonas aeruginosa*, biofilm formation on medical devices, inhibition by serum, **159:735**
- PTEN
downregulation by IGF-1, in pancreatic cancer cells, **160:90**
expression in histologic subtypes of non-small cell lung cancer, **164:256**
- Pterostilbene, inhibition of lung cancer, **161:18, 161:196**
- PTK787, anti-angiogenic effects in physiologic and pathologic angiogenesis, **159:517**
- Publication
bias, in bovine thrombin safety reporting, **158:77**
Surgery Journal Editors Group consensus statement on adoption of COPE guidelines, **162:45**
- Pulmonary edema, formation in phosgene-induced acute lung injury, attenuation by IV hyperoxygenated solution (rabbit), **164:131**
- Pulmonary endothelial cells
human, adhesion molecule expression on, fresh-frozen plasma and, **163:317**
microvascular, PKC-dependent IL-17F-induced hyperpermeability (rat), **162:110**
- Pulmonary resection, right ventricular hypertrophy after, suppression by G-CSF (rat), **162:153**
- Pulse oximetry, postoperative, for bariatric surgery patients, **159:622, 162:42**
- Pyloric stenosis, in children, management and outcomes for, effect of hospital type, **158:6**
- Pyrrrolidine dithiocarbamate, effects on titanium particulate-induced inflammation (mouse), **162:225**
- Pyruvate, therapeutic potential of, **164:218**
- Pyruvate derivatives, for ischemia-reperfusion, role of structure and lipophilicity, **164:72**
- Q
- Quality of life (QOL), assessment, in postoperative patients with upper GI malignancies, **163:40**
- R
- Race/ethnicity, and mortality after traumatic brain injury, **163:303**
- Radiofrequency ablation
hepatic, large volume, bacterial translocation induced by (rat), **161:250**
of liver tumors, needle perfusion technique for, **159:532**
- Radiotherapy, *PET-CT in Radiotherapy Treatment Planning* (book review), **160:213**
- Rapamycin, inhibition of hepatoma cell proliferation and migration *in vitro*, **159:705**
- Rectal cancer. *See also* Colorectal cancer
multimodality therapy, response to, predictive value of XRCC1 gene polymorphism in, **164:e61**
surgery for, wound complications in, obesity and, **163:35**
XRCC1 gene polymorphism in, prognostic significance of, **164:e61**
- Rectus sheath compartment pressure, and intra-abdominal pressure (pig), **161:235, 161:295**
- Reduced glutathione (GSH), protective effect on steatotic graft in liver transplantation (rat), **158:138**
- Regulatory T-cells, CD4⁺ CD25⁺, induction, CD103 depletion and (mouse), **163:162**
- Renal cell carcinoma
CD147 expression in, clinical significance of, **160:260**
metastatic to pancreas, pancreatic resection for, **160:268**
pediatric, prognostic indicators in, **163:257**
- Renal tumor(s), pediatric non-Wilms, subtypes, survival, and prognostic indicators in, **163:257**
- Research, clinical, academic training in, need for, in developing countries, **160:14**
- Retinoblastoma, and second malignancy, **160:184**
- Revised Trauma Score (RTS), predictive power, **159:627**
- Rhabdomyosarcoma, extremity, in children, incidence and outcomes of, **163:282**
- Rho-kinase signaling, in cholestasis (mouse), **159:666**
- Rhomboid excision and Limberg flap (RELIF), in treatment of pilonidal sinus, drainage after, **158:127**
- Right ventricular failure, from pressure overload, role of intra-aortic balloon counterpulsation and vasopressor therapy (pig), **164:58**
- Right ventricular hypertrophy, after pulmonary resection, suppression by G-CSF (rat), **162:153**
- RNA interference
for c-met silencing in hepatocellular carcinoma cells, and inhibition of cell growth and invasion, **162:231**
Id/Id3 knockdown using, and pancreatic cancer metastatic potential, **161:76**
shRNA-mediated, IL-2 knockdown by, and liver allograft survival (rat), **159:582**
- Rosiglitazone, and production of inflammatory mediators and hepatic injury in sepsis (mouse), **161:301**
- Rutin, protective effect in renal ischemia-reperfusion injury (rat), **164:309**
- S
- Saccharomyces boulardii*, effects on lung injury in acute necrotizing pancreatitis (rat), **160:139**
- Salmonella typhimurium*, tumor-targeting mutant, and prevention of hepatic metastasis of pancreatic cancer (mouse), **164:248**
- Sarcoma, human soft tissue and bone, antitumor activity of polyuridylic acid in, **164:e107**
- Scavenger receptors, macrophage cell surface, in phagocytosis of fungal agents and yeast, **164:e273**
- Sciatic nerve injury, anastomosis of, DuraSeal as ligature in (rat), **161:101**
- Sentinel lymph node
biopsy, in prophylactic mastectomy, **164:188**
lymphoscintigraphy, in breast cancer, **161:70**

- Septrafilm, adhesion prophylaxis, analysis (rat), **161:246**
- Sepsis
 adiponectin in (mouse), **161:301**
 anti-inflammatory effect of hydroxyethyl starch in (rat), **160:133**
 DHEA effectiveness during, timing of administration and, **163:e73**
 posttraumatic, vasoregulatory genes and (rat), **158:104**
 severe, macrophage migration inhibitory factor and manganese superoxide dismutase as early predictors for survival in, **164:e163**
- Septic shock, macrophage migration inhibitory factor and manganese superoxide dismutase as early predictors for survival in, **164:e163**
- Septic shock, MAPK-mediated liver injury in, attenuation by histone deacetylase inhibitor (mouse), **163:146**
- Serotonin (5-HT), 5-HT4, selective receptor agonist, antioangiogenic effect of, **159:696**
- Serum, effect on *Pseudomonas aeruginosa* biofilm formation on medical devices, **159:735**
- Serum albumin, effect on *Pseudomonas aeruginosa* biofilm formation on medical devices, **159:735**
- Simple Prognostic Index (SPI), and prognostic scoring for emergency laparotomy, **163:e59**
- Simulation models. *See also* Virtual reality simulator
 for comparative-effectiveness research, **162:163**
 of solid abdominal organ injury, for surgical resident training, **163:179**
 for technical skill development in thoracic surgery, **163:186**
- Simvastatin, pretreatment, protective effect against LPS-induced liver damage after partial hepatectomy (mouse), **162:184**
- Skeletal muscle
 disuse, and muscle atrophy in severe burn injury (rat), **164:e243**
 fine needle biopsy, in proximal muscles of upper limbs, **164:e257**
 postischemic edema (rat), **160:253**
- Skin
 penetration by topical dissolved oxygen, **159:e29**
 squamous cell carcinoma, prognostic criteria for, **159:509**
- Skin allograft(s), survival, platonin and (mouse), **164:146**
- Skin antiseptics
 antibacterial efficacy, evaluation *in vitro*, **164:344**
 toxic side effects, evaluation *in vitro*, **164:344**
- Skin flap(s)
 critically ischemic, survival, anesthesia and (mouse), **162:308**
 ischemia-reperfusion injury, in rats exposed to tobacco, effects of pentoxifylline and heparin on, **164:139**
- Skin perfusion pressure, correlation with outcomes in critical limb ischemia, **161:156**
- Skin transplantation, outcomes, allograft mass and (rat), **161:321**
- Skp2, expression in histologic subtypes of non-small cell lung cancer, **164:256**
- Small bowel obstruction, adhesive
 gastrografin assessment of, **160:60**, **162:170**
 management of, **160:60**
 statins for, **162:17**
- Small bowel transplantation, modified Paul-Mikulicz ileostomy in (pig), **164:329**
- Small intestine, distraction enterogenesis, safe limits for (pig, human), **163:169**
- Small intestine submucosa implants, in intraabdominal peritoneal onlay mesh repair (rat), **161:264**
- Smoke inhalation, ovine model, ventilator-controlled smoke delivery system for, **164:e155**
- Smooth muscle, venous, calcium-dependent contraction, inhibition by MMP-2 (rat), **159:755**
- Social interactions, alleviation of burn injury (rat), **162:122**
- Socioeconomic status, and 2-year mortality after non-neurologic trauma, **160:196**
- Soft tissue sarcoma
 extremity, in children, incidence and outcomes of, **163:282**
 pediatric, and second malignancy, **160:184**
- Solid abdominal organ injury, nonoperative management of, effect on surgical resident operative experience, **163:179**
- Solid tumors, pediatric
 colorectal, **161:209**
 and second malignancies, **160:184**
- Spraygel, adhesion prophylaxis, analysis (rat), **161:246**
- Squamous cell carcinoma (SCC), of skin, prognostic criteria for, **159:509**
- Staphylococcus aureus*, in silastic catheters, factors affecting, **161:202**
- Stasis, and inflammation of ileal pouch-anal anastomosis (rat), **164:75**; **159:663**
- STAT6, impaired IL-4 phosphorylation of, in EBV-transformed B-cells, **162:290**
- Statin(s)
 for adhesive small bowel obstruction, **162:17**
 and celecoxib, combined, prevention of atherosclerosis (mouse), **163:e113**
- Stem cell(s)
 adipose-derived, availability in vascular surgery patients, **163:e105**
 mesenchymal, enhancement of mixed chimerism and donor-specific tolerance (rat), **160:315**
- Stem cell markers, human cutaneous melanoma, immuno-expression, by stage of disease, **163:e11**
- Stent(s)
 heparin- and basic fibroblast growth factor-incorporated (minipig), **164:204**
 in transmyocardial revascularization (pig), **160:226**
 valved, for percutaneous implantation in tricuspid position (sheep), **160:215**
- Subarachnoid hemorrhage, enteral nutrition after, and change in brain glucose, **162:221**
- Subcutaneous fat area, quantitative measurements in colorectal cancer patients, validation, **164:18**
- Suberoylanilide hydroxamic acid, attenuation of MAPK-mediated liver injury in septic shock (mouse), **163:146**
- Suberoyl bis-hydroxamic acid, lithium chloride and, combination therapy for medullary thyroid cancer, **159:640**
- Super-elderly trauma patients, outcomes and health care resource utilization in, **163:127**
- Superoxide, production in experimental necrotizing enterocolitis (rat), **161:1**
- Superoxide dismutase, manganese, in severe sepsis and septic shock, prognostic significance of, **164:e163**
- Surgeon specialty
 and outcomes with carotid endarterectomy, **159:595**
 residents' choice of, factors affecting, **159:487**, **160:25**
- Surgical peritoneal environment, and gene expression of pre-implanted tumors (mouse), **162:79**
- Surveillance, Epidemiology, and End Results (SEER) database, limitations, in analysis of pediatric intestinal tumor treatment-outcome relationships, **161:237**
- Synchrotron radiation, microvascular imaging using (rat hind limb), **164:e193**

T

- Tau protein, serum levels after traumatic brain injury, prognostic significance of, **160:302**
- T cells (T lymphocytes). *See also* Helper T-cells; Regulatory T-cells

- PGE₂-induced suppression, arginine and hypertonic saline in restoration of, **163:e17**
 and wound inflammatory response (mouse), **158:112**
 Telemetry, for monitoring portal pressures (mouse), **159:618**
 Tenckhoff catheter placement, for peritoneal dialysis, laparoscopic-assisted *versus* open surgery for, **159:489**
 Tendon adhesion, postoperative, prevention of (chicken), **159:765**
 Tendon repair, collagen-GAG wrap for (chicken), **159:765**
 Testicular cancer, CD147 expression in, clinical significance of, **160:260**
 Thermal injury. *See also* Burn(s)
 alleviation
 by oxytocin (rat), **162:122**
 by social housing (rat), **162:122**
 apoptosis in, regulation by burn severity and dermal site (rat), **162:258**
 immune response after, CpG oligonucleotides and (mouse), **161:111**
 and LPS-induced IL-6 production in intestine (mouse), **160:190**
 severe, effect of muscle disuse on muscle atrophy in (rat), **164:e243**
 Thiopental, pretreatment, protective effect against etomidate-induced myoclonus, **159:e11**
 Thoracic surgery, technical skill development in, multipurpose simulator for, **163:186**
 Thrombin, bovine, safety studies
 design, and publication bias, **158:77**
 outcomes, study design and, **158:77**
 Thromboelastography, delta parameter, and differentiation of enzymatic and platelet hypercoagulability, **163:96**
 Thyroid cancer
 gender differences in, **162:165**
 medullary, combination therapy with histone deacetylase inhibitors and lithium chloride, **159:640**
 papillary, genetic alterations in, and younger age at presentation, **160:179**
 Thyroid disorders, *Clinical Management of Thyroid Disease* (book review), **161:33**
 Thyroidectomy, total, parathyroid hormone deficiency after, incidence and duration, **163:69**
 Thyroid nodules, fine-needle aspiration biopsy of, in males, **159:645**, **162:165**
 Tisseel, for hiatal mesh fixation (pig), **162:68**
 Tissue engineering
 acellular bioengineered matrix with vascular pedicle (rat), **164:1**
 endothelial progenitor cell growth and differentiation, extracellular matrix-like scaffolds and, **164:50**
 for restoration of craniofacial cartilage, **163:331**
 Tissue inhibitors of matrix metalloproteinase (TIMP), and hepatic fibrosis in biliary atresia (mouse), **159:611**
 Tissue oxygen saturation, noninvasive measurements, and identification of supply dependency (pig), **160:40**
 Tissue oxygen tension, in hemorrhage (pig), **160:288**
 Tissue perfusion, exogenous nitric oxide donation and, *in vivo* (mouse), **164:169**
 Tissue transplantation, mixed chimerism and donor-specific tolerance for, enhancement by mesenchymal stem cells (rat), **160:315**
 TNF-related apoptosis inducing ligand (TRAIL), and triplotide, combination therapy with, for cholangiocarcinoma, **163:244**
 Tobacco, and ischemia-reperfusion injury of skin flaps, effects of pentoxifylline and heparin on (rat), **164:139**
 Toll-like receptors
 anti-inflammatory effect of hydroxyethyl starch and (rat), **160:133**
 intestinal, upregulation after TPN administration (mouse), **160:244**
 Total hip arthroplasty, selective revision, in isolated acetabular failure, **164:228**
 Total parenteral nutrition
 liver failure induced by, dose variation of HGF in (rat), **163:294**
 and upregulation of intestinal Toll-like receptors (mouse), **160:244**
 Tracheal defect, repair using bioabsorbable copolymer (rabbit), **160:114**
 Transmyocardial revascularization
 laser, **160:226**
 stents for (pig), **160:226**
 Transpulmonary pressure, with elevated intra-abdominal pressure or atelectasis (pig), **159:e17**
 Trauma
 abdominal
 pediatric, FAST in, **159:486**
 screening for, **159:456**
 blunt
 abdominal examination in, **159:456**
 ascending aorta and aortic sinus injury in, unusual presentations, diagnosis and management of, **163:176**
 pediatric, assessment, **159:486**
 brain injury in
 heart rate after, and mortality, **163:142**
 intensity, and oxidative stress in brain (rat), **164:316**
 mortality after, race and, **163:303**
 τ protein serum levels after, prognostic significance of, **160:302**
 craniocervical dissociation in, **160:3**
 critical care for, evidence-based practices in, **163:327**
 injury severity scoring in, predictive power, **159:627**
 in motorcycle crashes, functional outcomes after, helmets and, **158:1**
 non-neurologic, 2-year mortality after, insurance status and, **160:196**
 outcomes, prediction, injury severity measurement for, **159:627**
 patterns of injury in, in children, **163:309**
 pediatric, patterns of injury in, **163:309**
 p38 MAPK signaling pathway activation after, and clinical significance, **161:119**
 protective effect of elevated serum lactate levels, **159:468**
 roadside pedestrian injury patterns in, **163:323**
 and sepsis, role of Kupffer cells and vasoregulatory genes (rat), **158:104**
 skills teaching and assessment, live patient model and mechanical simulators in, comparison of, **162:7**
 super-elderly patients with, outcomes and health care resource utilization in, **163:127**
 wound healing after, matrix metalloproteinase expression and, **159:633**
 TraumaDex, for hemorrhage control (pig), **164:e125**
 Tricuspid valve, replacement, by valved stent for percutaneous implantation (sheep), **160:215**
 Triphala incorporated collagen sponge, for infected dermal wound healing, **158:162**
 Triplotide
 cell death in neuroblastoma mediated by, Hsp-70 in, **163:72**
 and TNF-related apoptosis inducing ligand (TRAIL), combination therapy with, in cholangiocarcinoma, **163:244**
 Tumor necrosis factor α (TNF α), synthesis in trauma patient, p38 MAPK signaling and, **161:119**
- U
- Ultrasound
 bedside, after central venous catheter placement, **163:155**
 microimage system, for dynamic monitoring of lumen diameter and flow velocity (mouse), **162:26**
 therapeutic, beneficial effects on wound healing (rat), **161:168**

- Urology, pediatric, performance-based assessment of trainees in, **161:240**
- Urothelial carcinoma, prognostic role of LOH on chromosome 18 in, **161:89**
- V
- Vaccinia virus, complement control protein, renoprotective effect in ischemia-reperfusion (rat), **159:747**
- Valproic acid
and biomarker levels in hemorrhagic shock (rat), **159:474**
for hemorrhagic shock, and survival (rat), **163:118**
lithium chloride and, combination therapy for medullary thyroid cancer, **159:640**
- Vascular endothelial growth factor (VEGF)
and compensatory lung growth (mouse), **160:107**
ex vivo engineered slow-release system for, **160:340**
in physiologic and pathologic angiogenesis, **159:517**
portal venous, and liver regeneration after hepatectomy (rat), **159:e37**
- Vascular graft infection, prevention using regional antibiotic release, **164:e185**
- Vascular injury, animal models, **162:239**
- Vascular remodeling, matrix metalloproteinase promoter activation in, wall tension and (mouse), **160:333**
- Vascular smooth muscle
calcium-dependent contraction, inhibition by MMP-2 (rat), **159:755**
MMP-2 activity in, gender-dependent phosphorylation of ERK and (rat), **160:18**
response to low shear stress and balloon injury, concomitant proliferation and caspase-3 mediated apoptosis in (rabbit), **161:146**
- Vascular surgery
Atlas of Vascular Surgery (book review), **164:203**
patients undergoing, availability of adipose-derived stem cells in, **163:e105**
- Vasodilators, response to, in critical limb ischemia, correlation with outcomes, **161:156**
- Vasopressor(s), therapy with, for right ventricular pressure overload (pig), **164:58**
- Venous oxygen persufflation, protective effect on steatotic graft in liver transplantation (rat), **158:138**
- Ventilator-induced lung injury
effects of titration of mean airway pressure and FiO₂ (pig), **164:e147**
with elevated intra-abdominal pressure or atelectasis (pig), **159:e17**
- Ventral incisional hernia repair, surgical site infection in, predictors of, **163:229**
- Vertebroplasty, cement leakage during, prevention by staged-injection procedure, *in vitro* study, **164:e253**
- Virtual reality simulator
of pelvic anatomy, usability and effectiveness, **161:23**
resident performance on, and OR performance, **160:67**
three-dimensional, for preoperative imaging in DIEP flap breast reconstruction, **162:140**
- Visceral fat area, quantitative measurements in colorectal cancer patients, validation, **164:18**
- Vitamin D3, protective role in ischemic tissue, **164:e47**
- Vitamin D status, of morbidly obese patients, **164:198**
- W
- West African College of Surgeons, academic needs of, **160:14**
- Whole body periodic acceleration (pGz), effects on resuscitation and survival in hemorrhagic shock (pig), **164:e281**
- Wound(s)
infected dermal, triphala incorporated collagen sponge for, **158:162**
infection, surgical site, in ventral incisional hernia repair, predictors of, **163:229**
inflammatory response (mouse), **158:112**
- Wound healing
colonic anastomotic
erythropoietin and (rat), **163:e67**
mast cell degranulation and (rat), **164:e73**
complications, in rectal cancer surgery, obesity and, **163:35**
delayed, after hip fracture in elderly, risk assessment using nutritional measurements, **159:503**
dermal, triphala incorporated collagen sponge and, **158:162**
diabetic
pravastatin and (rat), **161:336**
stimulation by quiescent platelets (mouse), **160:169**
matrix metalloproteinase expression and, **159:633**
postoperative estrogen replacement therapy and, estrogen receptor subtype mediating (rat), **159:e25**
re-epithelialization in, effects of noninvasive electromagnetic fields on, **162:299**
therapeutic pulsed ultrasound and (rat), **161:168**
topical dissolved oxygen and, **159:e29**
- X
- XRCC1 gene polymorphism, in rectal cancer, prognostic significance of, **164:e61**
- Xylazine, effects on critically ischemic flap survival (mouse), **162:308**
- Z
- ZM336372, and apoptosis in pancreatic cancer cell lines, **161:28**